PLS ACCESSORIES
DESIGNED TO INCREASE UTILITY OF YOUR PLS LASER ALIGNMENT TOOLS

Your PLS laser will include accessories that help you get the most value from your purchase.

Replacement or additional accessories are available through your authorized PLS dealer.

PLS ELEVATOR TRIPOD
SHORT PACKAGE-LONG REACH
PLS - 20513




This dual tip elevator tripod may be used with all PLS products. It fully extends to 9'6" (2.74 Meters) with leveling bullseye & interlocking legs. Lightweight and durable.

PLS HVD LASER DETECTOR
PLS - 20545



Marry this detector with our PLS pendulum layout target to capture our **PLS5** reference points outside in bright sunlight. Best used close to or on concrete slab. Included with PLS5 System.

PLS TRIPOD ADAPTER
PLS - 20351



Convert your traditional rotary laser tripod to use your PLS180, PLS3, PLS5 or PLS360.

PLS90 UNIVERSAL BASE-TRIPOD ADAPTER
PLS - 20541

Use this PLS90 universal base-tripod adapter with your PLS90 to set up on the floor, on a tripod or on batter board.



PLS SLD LASER DETECTOR
PLS - 60533



Use this exclusive PLS detector to capture the lines of the PLS4, PLS180, PLS360, HVL100 and PLS90. **This detector cannot be used with rotary lasers or the PLS5.**

PLS TRIPOD
PLS - 20512



5/8-11 This PLS tripod is primarily used with the PLS90, PLS24X or PLS HVR rotary lasers.


PLS MAGNETIC WALL BRACKET
PLS - 20295
PLS - 21025 (PLS4)



This standard magnetic wall bracket is included with the PLS5, PLS3, PLS180 and PLS480

PLS 16 FOOT GRADE ROD
PLS - 21011

Used in conjunction with detector and/or PLS lasers for exterior layout.




PLS 480 TOOL
PLS - 60611

PLS480 TOOL

SQUARE AND HORIZONTAL LAYOUT WITH PLUMB DOWN AND UP

Multi-functional self leveling. Self leveling interior-exterior square and horizontal laser lines. Ideal for foundations, walls on slab and more.





PLS 480 SYSTEM
PLS - 60612

PLS480 SYSTEM





The PLS4 System Includes the SLD Detector and Universal Adapter

PLS 480 SPECIFICATIONS

- Working Range: +/-200' (61 meters) (outdoor w/detector)
- Cross Line Accuracy: +/-1/8" @ 60' (+/-3mm @ 18 meters)
- Plumb Down: +/-1/8" @ 20' (+/-6mm @ 6 meters)
- Power Supply: 3AA batteries, alkaline or rechargeable
- Operating Time: +/- 25 hrs. continuous use w/horizontal beam
  +/- 15 hrs. continuous use w/square beam
- Dimensions: 5.6" x 4.6" x 2.9"
- Weight: 1.25lb. (.57kg)

Class II Laser Product

THE PLS 480 TOOL INCLUDES:

- Magnetic Wall Bracket
- Carrying Case
- Pouch
- Operating Manual
- Basic Floor Stand
- 3AA Batteries

PLS
UNIVERSAL BASE TRIPOD ADAPTER
PLS - 21114

PLS UNIVERSAL BASE TRIPOD ADAPTER

THE PLS UNIVERSAL ADAPTER WILL INCREASE THE UTILITY AND APPLICATION FOR MANY PLS CONTINUOUS LINE AND POINT-TO-POINT TOOLS.



Place your PLS laser on batter board, tripod, metal stud and substraight floor. Move the laser line or point incrementally with the fine tuning knob. Indoor and outdoor applications are done accurately and faster.








PLS90 TOOL
90 DEGREE INTERIOR-EXTERIOR LAYOUT LASER



Fully self leveling, the PLS90 is a unique laser level dedicated to the most challenging layout task in the field. **No more 3-4-5.** Use your PLS90 and our universal base-tripod adapter for fast, accurate and dependable square layout for flooring tile, framing (metal stud or wood), concrete foundations, pads and so much more.

Commercial, Residential and Remodel

Bright sunlight or interior applications, the PLS90 will be on the floor or on your tripod to save you time and improve your bottom line.



PLS90

Tool PLS - 60512
System PLS - 60534

PLS90 SPECIFICATIONS

- Accuracy: +/- 1/8" @ 100' (+/- 3mm @ 30 meters)
- Weight: 1.7 lbs (.77 kg.)
- Self Leveling Range: 6°
- Power supply: 3 AA batteries
- Operating Time: +30 Hrs. Continuous
- Dimensions: 5" x 2 1/4" x 4 1/2"
- Multiple Functions
- Range: 250' (76 meters)

Class II Laser Product

THE PLS90 TOOL INCLUDES:

- PLS90 Laser
- Compact Carrying Case
- Universal Base
- Operating Manual
- Red Magnetic Laser Targets

PLS90 SYSTEM INTERIOR-EXTERIOR LAYOUT LASER
IDEAL FOR SQUARE LAYOUT IN OUTDOOR OR BRIGHT LIGHT APPLICATIONS

Concrete slab or foundations are set up quickly using the PLS90 System. Set the PLS90 on a tripod, batter board or straight edge using our PLS90 universal base.







- TILE
- METAL STUDS INTERIOR-EXTERIOR
- WOOD FRAMING ON SLAB
- ANCHOR BOLTS
- FOUNDATION ON SLOPE
- CONCRETE SLAB
- MASONRY
- BRICK
- DECKS AND PATIO
- CURTAIN WALLS
- FENCES

THE PLS90 SYSTEM INCLUDES:

- PLS90 Tool
- PLS SLD Detector
- Operating Manual
- Universal Base
- Compact Carrying Case
- Red Magnetic Laser Targets


PLS360 TOOL

360 DEGREE INTERIOR-EXTERIOR LASER LEVEL

Fully self leveling, the PLS360 provides you with a 360 degree horizontal line of reference. The PLS360 offers one-button application that is accurate and rugged for indoor-outdoor applications. Unlike rotary lasers, this compact, bright and durable tool has no complicated features or multiple knob adjustments. The PLS360 simplifies your work day with the press of a button. How long does it take you to set up your rotary laser?

PLS 360


PLS - 60526





Kit PLS - 60537

- ACOUSTIC CEILINGS
- HVAC
- CABINETRY
- CHAIR RAILS
- FIXTURES





System PLS - 60536

- DECKS *
- FOUNDATIONS *
- SWIMMING POOLS *
- LANDSCAPING *



PLS360 SPECIFICATIONS

• Accuracy:	+/- 1/8" @100' (+/- 3mm @ 30 meters)		
• Range:	200' (61 meters)*	• Leveling Range:	6°
• Power Supply:	3 D Batteries	• Weight:	2.0lbs.
• Operating Time:	+35 Hrs Continuous		
• Dimensions:	3 1/8"x 5"x 4 1/2"		

THE PLS360 TOOL INCLUDES: Class II Laser Product

- PLS360 Laser
- Wall Bracket
- Compact Carrying Case
- Operating Manual

***The PLS360 System is designed for exterior use with exclusive PLS SLD Detector.**

PLS HVR 505 R
MID RANGE ROTARY LASER

The PLS HVR 505 R is a compact, mid range red beam rotary laser designed for light commercial, residential, and remodeling projects. Horizontal and vertical applications: the PLS HVR 505 R is versatile for short and mid range layout with an accuracy of +/- 1/8 inch at 100 feet.



- ACOUSTIC CEILINGS
- LANDSCAPE
- DECK & POOLS
- METAL FRAME
- CARPENTRY
- CONCRETE PADS



PLS HVR 505 R
Kit PLS - 60583
System PLS - 60575

PLS HVR 505 G
MID RANGE ROTARY LASER

The PLS HVR 505 G is a compact, mid range green beam rotary laser designed for light commercial, residential, and remodeling projects. Horizontal and vertical applications; the PLS HVR 505 G is versatile for short and mid range layout with an accuracy of +/-1/8 inch at 100 feet.



HIGHLY VISIBLE GREEN BEAM IDEAL FOR INTERIOR PROJECTS

- ACOUSTIC CEILINGS
- METAL FRAME
- CARPENTRY
- CURTAIN WALLS



PLS HVR 505 G
PLS - 60579

PLS HVR 505 R SPECIFICATIONS

- Accuracy: +/- 1/8" @ 100' (+/- 3mm @ 30 meters)
- Power supply: NiMH Rechargeable • Self Leveling Range: 5°
- Range: 500' Radius (152 meters)
- Dimensions: 7.5" X 8" X 6" Class II Laser Product

THE PLS HVR 505 R SYSTEM INCLUDES:

- PLS HVR 505 R • Carrying Case • Ceiling Bracket
- PLS HVD 505 R Detector • Operating Manual • Re-charger
- PLS RC 505 R Remote • TWO BATTERY PACKS: NiMH & Alkaline

PLS HVR 505 G SPECIFICATIONS

- Accuracy: +/- 1/8" @ 100' (+/- 3mm @ 30 meters)
- Power supply: NiMH Rechargeable • Self Leveling Range: 5°
- Range: 500' Radius (152 meters)
- Dimensions: 7.5" X 8" X 6" Class III Laser Product

THE PLS HVR 505 G SYSTEM INCLUDES:

- PLS HVR 505 G • Carrying Case • Ceiling Bracket
- PLS HVD 505 G Detector • Operating Manual • Re-charger
- PLS RC 505 G Remote • TWO BATTERY PACKS: NiMH & Alkaline

PLS 24X
AUTOMATIC OPTICAL LEVEL


Traditional optical level for general construction layout. Rugged cover for weather and dust resistant usage. High quality optics. Automatic compensator, lightweight.



PLS24X

PLS - 60497






PLS1
COMPACT, PRECISE AND RELIABLE MEASUREMENT TOOL



PLS1

PLS - 20984





The PLS1 will tackle the majority of your measurement tasks at an affordable price.

The PLS1 takes measurements accurately in total inches, feet and inches or metric. Use the added features of measuring area, volume or Pythagoras... all in the palm of your hand. Proven technology, European manufactured performance and the service support expected from PLS.

PLS 24X SPECIFICATIONS


- Magnification power 24X
- Working Range 150'(46 meters)
- Clear Objective Aperture
- Accuracy +/- 1/16" at 100' (+/- 1.5 mm @ 30 meters)


PLS1 SPECIFICATIONS

- Working Range: 2-265' (0.05-80 meters)
- Accuracy +/- 1/16". (1.5mm)
- Power Supply: 2AAA Batteries
- Dimensions: 4.7 x 2.3 x 1.2" (120 x 58 x 29mn)
- Weight: 4.98 oz. (146 g)

PLS5 AND PLS3
PROVIDE POINT-TO-POINT ALIGNMENT INFORMATION

Lay out reference points faster than traditional, labor intensive methods. No more swinging plumb bobs. Plumb instantly from floor to ceiling or from 50 feet off the ground! Use PLS as your partner on the jobsite. Self leveling: no time wasted with bubble vials. Turn it on and go to work. Take clear, stable reference points indoors and outdoors.






PLS5
Tool PLS - 60541
System PLS - 60542

PLS5
EXTERIOR SYSTEM

The PLS5 is designed for layout of control points and lines for interior projects or in outdoor conditions with bright sunlight. Working range is 250+ feet with an accuracy of +/- 1/8" at 100 feet. Lay out conduit, anchor bolts and square on slab. Use the PLS5 inside for traditional plumb, level and square references.

PLS5 and PLS3 are both compact, lightweight, durable and portable. Designed by contractors, for contractors.



PLS3
Red PLS - 60523
Green PLS - 60595

PLS5 AND PLS3 SPECIFICATIONS

	PLS5	PLS3
• Working range:	+/- 100' (+/-30 meters)	+/-100' (+/-30 meters)
• Accuracy:	+/- 1/8" @ 100' (+/- 3mm @ 30 meters)	+/- 1/4" @ 100' (+/- 6mm @ 30 meters)
• Leveling range:	8°	6°
• Power supply:	3 AA batteries	3 AA batteries
• Operating time:	+ 30 hrs. continuous	+ 30 hrs. continuous
• Dimensions:	2" x 4" x 4-3/4"	1 1/2"x 4 1/4"x 3 1/8"
• Weight:	1.13 lbs. (.52 kg)	12 oz. (.33 kg.)

PLS 3 NOW AVAILABLE IN HIGH VISIBILITY GREEN POINTS

THE PLS5 TOOL INCLUDES:
- **PLS5** Laser
- Wall Bracket
- Pendulum Layout Target
- Floor Stand
- Carrying Pouch
- Compact Carrying Case
- Operating Manual

THE PLS5 SYSTEM INCLUDES:
- PLS HVD Detector

THE PLS3 LASER TOOL INCLUDES:
- **PLS3** Laser
- Operating Manual
- Wall Bracket
- Carrying Pouch
- Floor Stand

PLS5 and PLS3 are Class II Laser Products

PLS HR1000 SYSTEM

PLS - 60584

PLS HR 1000 SYSTEM

Easy to use, the PLS HR 1000 System is a self leveling horizontal only rotary laser. Includes rechargeable battery pack, charger, carrying case and operating manual.





PLS HR1000 KIT

PLS - 60585

PLS HR 1000 KIT





PLS HR 1000 Kit Includes 5/8-11 tripod and 16 foot grade rod.



- BASIC SLOPE PROJECTS
- CONCRETE FORMS
- LARGE PADS
- ELEVATIONS



PLS HLE1000

Tool PLS - 60570
System PLS - 60569

DUAL SLOPE

PLS HLE 1000 SYSTEM

HORIZONTAL LONG RANGE LAYOUT LASER FOR EXTERIOR APPLICATIONS

This fully automatic, self-leveling laser is used for exterior horizontal layout with an accuracy of +/-3/32 inch @ 100 feet (+/-2.4 mm @ 30 meters), 1000 feet radius for horizontal applications. We recommend using this rotary laser for exterior general construction applications.



PLS HR1000 SPECIFICATIONS

- Accuracy: +/-3/32' @ 100' (+/-2.4 mm @ 30 meters)
- Power supply: NiMH Batteries Pack, Optional Alkaline Battery Pack
- Operation Range: Radius +/- 1000' w/detector (304 meters)
- Self Leveling Range: +/-5 degrees
- Dimensions: 7.5" x 8"x 6"
- Weight: 4.9 lbs. (2.22 kg) (unit only)

Class II Laser Product

THE PLS HR 1000 SYSTEM INCLUDES:

- Rechargeable Battery Pack
- Carrying Case
- Operating Manual
- Charger

PLS HLE 1000 SPECIFICATIONS

- Accuracy: +/-3/32" @ 100'(+/-2.4 mm @ 30 meters)
- Power supply: 4 Alkaline or NiMH Rechargeable Batteries
- Dimensions: 8" x 7" x 6"
- Weight: 4.7 lbs (unit only) 2.1 kg
- Operation Range: Radius +/- 1000' w/detector (304 meters)
- Self Leveling Range: +/-5 degrees

Class II Laser Product

THE PLS HLE 1000 SYSTEM INCLUDES:

- PLS HLE 1000
- PLS HLD 1000 Detector
- RC 1000 Remote
- TWO BATTERY PACKS (NiMH & Alkaline)
- Re-charger
- Operating Manual
- Carrying Case

PLS4 TOOL
PLS - 60574



PLS4 TOOL

HORIZONTAL AND VERTICAL LAYOUT WITH ABILITY TO PLUMB UP AND DOWN.

Combination of lines and points, the PLS4 is fully self leveling and has a range of +/- 100 feet. Perfect for any alignment or leveling task.



PLS4 SYSTEM
PLS - 60588



PLS4 SYSTEM



The PLS4 System Includes the SLD Detector.

PLS FT90 TOOL
PLS - 60567



PLSFT90 TOOL

SQUARE LAYOUT FOR THE PROFESSIONAL TILE & FLOOR CONTRACTOR

Use the PLS FT 90 for fast tile square layout. Made of cast aluminum, the PLS FT 90 is durable and able to provide the professional tile contractor with superior accuracy and clarity. Good for short and long range interior floor tile projects.



- FLOOR TARGETS
- CARRYING CASE
- OPERATING MANUAL

PLS FT90 PLS 2 COMBO PACK
PLS - 60568

FT 90 & PLS 2 Tools in single carrying case



PLS 4 SPECIFICATIONS

- Working Range: +/-100' (outdoor w/detector)
- Cross Line Accuracy: +/-1/8" @ 30' (+/-3mm @ 10 meters)
- Point-to-Point: +/-1/4" @ 100' (+/-6mm @ 30 meters)
- Leveling: Automatic
- Power Supply: 3AA batteries, alkaline or rechargeable
- Operating Time: + 25 hrs. continuous use w/single beam
  12.5 hrs. both beams
- Dimensions: 2" x 2.5" x 4-3/8"
- Weight: 16 oz. (.45kg) (including batteries)

Class II Laser Product

THE PLS 4 TOOL INCLUDES:

- Magnetic Bracket
- Carrying Case
- Pouch
- Operating Manual
- Floor Stand

PLS FT90 SPECIFICATIONS

- Working Range: +/-65' (+/-20 meters)
- Square Accuracy: +/-1/16" @ 20' (+/-2mm @ 6 meters)
- Leveling: Fixed base - not self leveling
- Power Supply: 3AA batteries, alkaline or rechargeable
- Operating Time: 10 hours continuous use
- Dimensions: 8" x 2-3/8 " x 2-3/4"
- Weight: 2.4 lbs. (1.09kg)

Class II Laser Product

THE PLS FT 90 TOOL INCLUDES:

- Floor Targets
- Carrying Case
- Operating Manual



PLS2 TOOL

HORIZONTAL-VERTICAL LAYOUT

The PLS 2 Palm Laser is a simple, easy solution for short and mid-range interior horizontal and vertical layout tasks. This compact, laser line tool is brighter than most rotary lasers at a fraction of the cost. Save time everyday in layout and installation.

Self leveling, accurate and durable.



PLS HVL100 SYSTEM
PLS - 60561

PLS2 TOOL
PLS - 60528

PLS HVL100 SYSTEM

360 DEGREE HORIZONTAL & VERTICAL LINES; FULLY SELF LEVELING


The HVL 100 line laser tool is fully self leveling with horizontal and vertical lines for multiple applications. Ideal for:


- Interior remodeling
- Ceramic tile
- Layout
- Electrical /HVAC
- Wallpaper



Use outside with our SLD laser receiver.

- FRAMING
- CABINETRY
- TILE





- CERAMIC TILE
- WINDOWS & DOORS
- CHAIR RAILS

PLSHVL100 SPECIFICATIONS

- Accuracy: +/- 1/8" @ 60' (+/- 3 mm @ 18 meters)
- Power supply: Rechargeable NiMH batteries
- Dimensions: 8" x 3 3/4" x 11 1/2"
- Range: 100' (30 meters) w/optional SLD receiver
- Leveling Range: +/-4°
- Weight: 4lbs. 6 0z. (2 kg.) (including batteries)

Class II Laser Product

THE PLSHVL100 SYSTEM INCLUDES:

- PLS HVL 100
- Wall Bracket
- Carrying Case
- 4 NiMH Batteries
- Layout Targets
- Operating Manual
- SLD Receiver (optional)
- Adjustable Turning Base


PLS2 SPECIFICATIONS

- Accuracy: +/- 1/8 " @ 30' (+/- 3mm @ 10 meters)
- Weight: 10 oz. (.28 kg.) (including batteries)
- Power supply: 3 AA batteries
- Dimensions: 2" x 2 7/8" x 3 3/8"
- Range: 60' (20 meters)
- Self Leveling Range: +/- 6o
- Operating Time: +25 Hrs.Continuous


Class II Laser Product

THE PLS2 TOOL INCLUDES:


- Pouch
- Magnetic Wall Bracket
- Batteries
- Operating Manual



- PAINT
- WALLPAPER



- CARPENTRY
- DRYWALL
- ACOUSTIC CEILING



- WINDOWS
- DOORS



PLS180 TOOL
PLS - 60521

PLS180 TOOL

PALM LASER INTERIOR HORIZONTAL-VERTICAL LAYOUT

This plumb, level and square laser line tool is brighter than most rotary lasers at a fraction of the cost. **Fast, accurate and portable, the PLS180 Palm Laser saves you time and money when your bubble vial level or rotary laser is too cumbersome or too limited for the job.**

NOW AVAILABLE IN HIGH VISIBILITY GREEN BEAM
PLS - 60596

PLS180 SPECIFICATIONS

- Accuracy: +/-1/8" @ 30' (+/-3mm @10 meters)
- Power supply: 3 AA batteries
- Leveling Range: 6°
- Dimensions: 2" x 2 7/8" x 3 3/8"
- Operating Time: +/- 30 Hrs. Continuous
- Multiple Functions
- Range: 100' (30 meters)
- Weight: 1.7 lbs (.77 kg.)

Patent #7,497,018 B2
Class II Laser Product

THE PLS180 SYSTEM INCLUDES:

- PLS180 Laser
- Compact Carrying Case
- PLS180 Pouch
- Wall Bracket
- Operating Manual

PLS180 SYSTEM

PALM LASER WITH DETECTOR INTERIOR-EXTERIOR HORIZONTAL-VERTICAL LAYOUT


Exterior layout in your pocket. The PLS180, with our exclusive PLS SLD detector, is a simple, easy solution for short and mid-range exterior horizontal and vertical layout tasks.



PLS180 SYSTEM
PLS - 60528

PLS180 SYSTEM includes the PLS SLD Detector





- SIDING
- WINDOWS
- MASONRY
- DECKING
- FENCING
- LANDSCAPING

THE PLS180 SYSTEM INCLUDES:

- PLS180 Laser
- PLS SLD Detector
- Compact Carrying Case
- Wall Bracket
- PLS180 Pouch
- Operating Manual

PLS•
PACIFIC LASER SYSTEMS
OUR EDGE

PLS•PACIFIC LASER SYSTEMS MANUFACTURES THE HIGHEST QUALITY LAYOUT TOOLS FOR THE PROFESSIONAL CONTRACTOR.

We are dedicated to designing career laser tools for a lifetime of increased productivity and profit.

Fast, accurate and portable, PLS lasers save time and money when your bubble vial level or rotary laser is too limited or too cumbersome to do the job. When a rotary laser is required for long-midrange vertical and horizontal layout, then our PLS HR or HLE 1000 and PLS HVR 505 will tackle most projects.

Compare the advantages of using a PLS laser to traditional methods you now employ. When comparing PLS laser tools look for these quality features: 1. Beam quality will be bright, small and crisp. 2. Dampening will be quick and stable. The beams will not bounce around. 3. The tools will be self-leveling, easy to use and efficient. *PLS5, PLS4, PLS3, PLS180, PLS360, PLS480 and PLS90 lasers are designed, calibrated, and assembled in the USA. The PLS HVR, HR, HLE and FT lasers are made for PLS in Asia.*

PLS•
PACIFIC LASER SYSTEMS
OUR HISTORY

What sets PLS•Pacific Laser Systems apart from the rest? Built by contractors for contractors, PLS tools were developed out of necessity by professionals with over 50 years of experience in commercial and residential interior and exterior layout. PLS founders were contractors first before becoming manufacturers of the finest laser alignment tools in the world.

PLS•
PACIFIC LASER SYSTEMS
OUR APPLICATIONS

FRAMERS

No more plumb bobs in the wind. Lay out and install track and studs for commercial or residential projects. Use PLS90 to project 90 degree angles in a fraction of the time. No more 3-4-5. Indoor - outdoor application means greater utility and value for your purchase.

ELECTRICIANS

Use the PLS reference plumb points to determine where each light is to be installed. How long would it take you to lay out 50 lights in a vaulted ceiling with two people and a plumb bob?

HOME BUILDERS

Setting up foundations on a slope is always a challenge. Place your PLS90 or PLS480 on the corner of your layout and pull reference points forward and to the side for labor saving layout. Interior walls, stairways, cabinetry, skylights, windows and more can be aligned quickly and accurately with a PLS laser.

HVAC / MECHANICAL

For commercial HVAC, PLS will speed vertical and level layout. Manipulate plumb, level, and square reference anywhere on the job site, regardless of obstacles or weather conditions.

ACOUSTIC CEILINGS

The PLS360 and 505 rotary laser makes layout and installation of acoustic ceilings fast and simple.

GENERAL CONSTRUCTION

The range, versatility and accuracy of our PLS480, PLS5, PLS180 or PLS505 lasers make them ideal tools for checking elevations, setting large pads, leveling forms, plotting/finding square on slope and footings.

TILE

For ceramic tile contractors who install both walls and floors, get the PLS FT 90 combo pack which includes the PLS 2 cross line laser with magnetic wall bracket. Speed the installation of ceramic tile by following crisp and accurate lines on the floor. Eliminate costly mistakes and compounded errors by establishing 90 degree (square) floor layout with bright laser lines from the durable cast aluminum FT 90.

FOUNDATIONS

General contractors, new residential and remodeling contractors will appreciate the simple set up and accurate layout for basements, concrete slab and decks.



PLS HVR505R



PLS24X



PLS HR1000



PLS480



PLS90



PLS HLE1000

INTERIORS

Commercial and remodeling contractors will save layout time, verify existing conditions and improve installation for electrical, HVAC, tile, glazing, staging and more.



PLSFT90



PLS HVR505G



PLSHVL100



PLS180



PLS2



PLS1

PARTITIONS

Multi-story commercial, light industrial, drywall, masonry and tilt-up projects will realize labor efficiencies while reducing compound errors and rework.



GREEN BEAM

PLS3



PLS4



PLS360



PLS5



PLS480



GREEN BEAM

PLS180

PLS•PACIFIC LASER SYSTEMS

OUR WARRANTY & SERVICE

PLS laser tools are designed to be a career purchase with a lifetime of profit and productivity. The PLS North America warranty covers product workmanship for three years after date of purchase. Our lifetime exchange program allows our customers to retain a trade in value for our tools after the warranty period. Non warranty trade in of damaged or "well aged" tools direct with PLS or an authorized PLS dealer increases the long term benefits of PLS ownership. Ask about our ETN trade program. To locate an authorized dealer near you, call PLS or visit our website.

WWW.PLSLASER.COM

PACIFIC LASER SYSTEMS

The Professional Standard

1 800 601 4500

2550 KERNER BLVD., SAN RAFAEL, CA 94901

The PLS5, PLS4, PLS3, PLS180 Palm Laser and PLS90 are registered trademarks of PLS • Pacific Laser Systems • The PLS5 utilizes our patented technology, U.S. Patent No. 5,144,487.
PLS180 No. 7,497,018 B2

Brochure revised September 2014

To help protect our environment, we encourage you to recycle at approved recycling location. Do not dispose of the battery in normal household waste.

ASK YOUR DEALER TO DEMONSTRATE A PLS LASER TOOL

PACIFIC LASER SYSTEMS

The Professional Standard

