



| SILT FENCES | . 3 |
|--|--|
| EROSION CONTROL PRODUCTS Straw Wattle, Blankets, Jute, Filter Bag, Inlet Cover, Turbidity Barriers | . 7 |
| SAND BAGS | . 10 |
| GEOTEXTILE PRODUCTS. Non-Woven, Woven | . 11 |
| SAFETY FENCES | 14 |
| BARRICADE TAPE PRODUCTS | 18 |
| SPECIALIZED TAPE PRODUCTS - Non-Adhesive Detectable, Non-Detectable, Woven Barricade Webbing | 20 |
| REFLECTIVE TAPE PRODUCTS – Adhesive | 21 |
| SPECIALIZED TAPE PRODUCTS – Adhesive Hazard Stripe, Non-Skid, Duct, Electric, Hook and Loop | 22 |
| FLAGGING TAPE | . 24 |
| MARKING & MEASURING PRODUCTS | . 26 |
| PENNANTS & MARKERS | 30 |
| REBAR CAPS AND FALL PROTECTIONOSHA Rebar Caps, Tent Caps, Safety Harness/Lanyard | 32 |
| SAFETY VESTS AND ANSI APPAREL Heavy Weight, Soft Mesh, Safety Vests ANSI Class 2 (Vests, Sweatshirts, T-Shirts) ANSI Class 3 (Vests, Pants, Jackets, Rainsuit and Parka). Surveyor Vests (ANSI Class 1, ANSI Class 2). Fire Retardant (Vests and T-Shirts) Specialty Vests (Vests, Personal Reflective) | . <mark>42</mark> . 44 |
| TRAFFIC SAFETY PRODUCTS | . 48 |
| PERSONAL PROTECTION PRODUCTS Hard Hats. Hard Hat Accessories Winter Liners Kromer Caps Beanies & Welding Safety Accessories Headwear Rainwear and Boots Eyewear and Safety Glasses Neoprene Supports and Knee Pads Gloves First Aid Kits Eye Protection and Dust Masks Hearing Protection, Coveralls, and Maintenance | . 54 . 55 . 56 . 59 . 61 . 63 . 64 . 66 . 68 . 69 . 70 . 71 |
| Shovels Pallet lack 2-in-1 Hand Truck | . /4 |















Fabric Economical: 24", 36" High Spec: 24", 30", 36", 42", 48", 50"

<u>Stakes</u>

Hardwood 1-1/2" x 1-1/2" (Nominal) 2" x 2" (Nominal) 36", 48", 54" Length



Easy Silt Fence Installation Tip

Silt fence is more durable and resistant to wind damage if each post is twisted 180° during installation. This wraps each post with silt fence fabric on both sides, reducing the likelihood of the fabric tearing away from the post in a high wind situation.

Stake Spacing10' Centers 6' Centers
8' Centers 5' Centers
7' Centers 4' Centers

Proper Installation

Dig a 6" deep trench to prevent sediment flow underneath the fence. Unroll fence and drive stakes in center of trench to bottom of fabric. Make sure all stakes are on the down slope side of fence.




Silt Fence with Lath


Part# 14987 Mutual's wood lath silt fence is manufactured to stop the fabric from tearing away from the posts in the field. The lath is stapled thru the fabric and into the post.

Wired Backed and Super Silt Fence





Silt Fabric and Accessories



MISF 3014 Poly Mesh Backing Part# 3014

Mutual's oriented polypropylene mesh is ideal for use on supported silt fence requirements. This incredibly strong yet flexible material is an accepted alternative by many state DOT in place of 14 or 12-1/2 gauge wire backing. Available in 30" x 500' or 30" x 5000' rolls.



Steel T-Post Part# 14646

Mutual offers 4' T-post unpainted with no kick plate and 5' or 6' painted T-post with no kick plate for most wire back silt fence applications. 200 per bundle.



Pre-Pocketed Silt Fence Part# 14987

Mutual's pre-pocketed silt fence is Mutual's 36" high MISF 180 fabric, with pockets sewn either 6 feet on center or 8 feet on center. It is available as prefabricated fence with stakes attached in 100 feet long rolls or without stakes attached in bulk 500 foot rolls.



Part# 14651 (2")

Part# 14652-2-72

Channel Post Part# 14645

Mutual's heavy duty steel posts are easy to install and are made of durable 13 gauge steel. They are rust proofed by phosphate etching and feature a green enamel finish. Each post has a stabilizing anchor plate, and comes in 5' and 6' heights. 150 per bundle.



Available in the following

- stock sizes: • 1-1/2" x 1-1/2" Nominal 48", 36"
- 2" x 2" Nominal 48", 42", 36"
- 1" x 2" Nominal 60"
- 2" x 2" x 72" Nominal Tree Stakes




High grade hardwood stakes have pencil points for easy driving. Use to assemble your own silt fence, staking hay bales, perimeter markers, etc.












MISF 150 MISF 180 MISF1855 WF 200 **MISF 901** MSF1776

| Mutual Woven Specifications | | MISF 150 | MISF 180 | MISF 1855 | MISF 901 | MISF 1776 | WF200 |
|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Grab Tensile Strength | ASTM D-4632 | 90 lbs. | 110 lbs. | 120 lbs. | 134 lbs | 144 lbs | 205 lbs |
| Grab Elongation | ASTM D-4632 | 15% | 15% | 15% | 15% | 15% | 19% |
| Trapezoid Tear | ASTM D-4533 | 55 lbs. | 60 lbs. | 80 lbs. | 60 lbs | 65 lbs | 100 lbs |
| Puncture | ASTM D-6241 | 60 lbs. | 60 lbs. | 60 lbs | 60 lbs | 75 lbs | 110 lbs |
| Permittivity | ASTM D-4491 | 0.1 SEC | 0.13 SEC | 0.3 SEC | 0.12 SEC | 0.2 SEC | 0.08 SEC |
| A.O.S. | ASTM D-4751 | 50 US Sieve | 40 US Sieve | 50 US Sieve | 30 US Sieve | 35 US Sieve | 40 US Sieve |
| U.V. Resistance (500 hr) | ASTM D-4355 | 80% | 80% | 80% | 80% | 80% | 90% |

Erosion Control Products





Straw Blanket 8' x 112" (Total: 100 sq. yds.)

Single Net – 100% weed free AG straw for use on slopes up to 3:1 and low flow channels.

Double Net - 100% weed free AG straw for use on slopes up to 2:1 and moderate flow on channels.



Coconut Blanket

8' x 112-1/2" (Total: 100 sq. yds.) 100% coconut fibers used on slopes 1:1 or greater and in channels with heavy flows.




Excelsior Blanket

4' x 101'-1/4' (Total: 45 sq. yds.) 8' x 101'-1/4' (Total: 90 sq. yds.)

Single Net - 100% Rocky Mtn Aspen used for slopes 2:1 or less and areas of light to moderate rainfall & runoff.

Double Net - 100% Rocky Mtn Aspen used on slopes up to 1:1 and areas of moderate to heavy rainfall.



Quickgrass

4' × 101" Single Net blanket dyed green.



Straw Coconut Blanket

8' x 112-1/2' (Total: 100 sq. yds.) 70% Weed free AG straw – 30% coconut fibers used on slopes up to 1:1 and in channels with moderate flows.



4' x 225' (Total: 100 sq. yds.) 100% woven coir used on slopes up to 2:1 with light to moderate runoff.



Eco Jute Part# 17685-2-48

It's a cost effective all natural alternative to straw/wood fiber blankets. The natural looking, high strength eco jute mesh protects the soil surface from water and wind erosion while offering partial shade and heat storage to accelerate vegetative development allowing uninhibited growth of wood plant species, grass, and ground cover. Holes in this landscaping fabric are approximately 1/4" x 1/4". Roll Size: 4' x 225', Durability approx 1 yr.

Erosion Control Products



Turbidity Barrier

Contractor

Type I

Part# 3200-8-60 Type II
Mutual's Floating Turbidity Barrier provides a restricted flow of silt laden runoff from construction sites. Turbidity barriers are highly effective in allowing silt and sediment to settle out before being carried into adjacent or adjoining waterways. Available in 60'

Staked Turbidity Barrier

Staked Turbidity Barrier
Part# 3100-44 44" x 100' Material Only
Part# 3100-6-44 44"x 100' 6'Centers Stakes
Staked barriers are continuous panels of impervious
vinyl-polyester fabric that, installed correctly, can
contain storm water runoff or re-direct it to proper
channels or retention areas. On-land installation
is similar to that of silt fence, with 8 inches below
grade and 36 inches above grade attached to stakes.
Staked Barriers can also be installed in up to 18
inches of water. The barriers are sold as fabric only
44" x 100' or with stakes attached every 6' apart 44" x 100' or with stakes attached every 6' apart.



Spunbound Fabric

Mutual's Landscape fabric is a safe and effective way to stop weeds. This professional grade, spunbound material has a high strength to weight ratio, and maintains soil moisture as well. Available in convenient 3', 4', and 6' widths in 300 ft. lengths for easy installation.



Burlap Fabric Part# 44004

Mutual's 7 oz. burlap fabric is so versatile and is available in untreated rolls of 48" x 100 yd.



Fabric Pins Part# 17686

Ideal for fastening landscape fabric and ground cover. Available in 12" and 18" lengths, 100 per box.



GC125

GC125 Ground Cover

Mutual's 125 weight ground cover has convenient planting guide lines placed every 12 inches for even rows. Available: 3' x 300', 4' x 300', 6' x 300', 12' x 300' rolls.



Tree Watering Bag Part# 14700

Mutual's tree watering bag is used to water young trees or useful when planting a new tree. The bag distributes roughly 20 gallons of water around the base of a tree in 5-7 hour period. The bag fits up to a 4" diameter tree. The bags can easily be filled with a standard garden hose or a hose up to 3" in diameter.

Sediment Filter Bag


10 oz non woven geotextile bag used to filter sediment from pumped discharged water. Sizes available: 5' x 6', 7-1/2' x 7-1/2', 7-1/2' x 15', 15' x 15', and 15' x 30'.



Galvanized PVC Coated **Gabion Baskets**

Mutual's high quality gabion baskets are ideal for retaining walls, or along stream beds to help with restoration. Available in the following sizes: 3'x 3'x 1', 3'x 3'x 3', 3'x 6'x 1', 3'x 3'x 6', 9'x 3'x 1', 9'x 3'x 3', 12'x 3'x 1', and 12'x 3'x 3'.

Other sizes are also available upon request.



Geo Grid

Geo grids increase the service life of pavement structures by reducing lateral spreading.
Available in BASX11 and BASX12 in various grid sizes in 13.1' x 164' rolls.





Inlet Cover

This 2' x 4' inlet cover reduces the amount of silt and debris that may enter a storm water inlet during construction.






Silt Sacks

Used for reducing the amount of silt and debris that may enter a storm water inlet during construction, these 4' x 2' x 3' sacks are placed inside the storm drain to collect debris as it enters the opening.





Geotextile Products Non Woven



Mutual Non-Wovens

Mutual's non-wovens are available in cut rolls. NW35 is in stock in the following sizes: 7-1/2 x 300', 6' x 300', 4' x 300', 3' x 300', 2' x 300'. All other non-wovens available in 12-1/2' x 360', and 15' x 300'.

| A CASE OF THE PARTY OF THE PART | | | | | | | | | |
|--|------|------|------|------|------|-------|-------|--|---|
| MUTUAL NON-WOVENS | | | | | | | | | |
| USES | NW35 | NW40 | NW45 | NW60 | NW80 | NW100 | NW120 | NW160 | |
| Subsurface Drainage | Х | Х | Х | Х | Х | | | | Non-woven geotextiles used as a filter, allow subsurface water to pass into drainage core while preventing soil from clogging the system |
| Drainage Systems | | | Х | Х | Х | Х | | When placed in contact with a Geonet or drainage non-woven geotextiles can filter soil and waste whil allowing water and waste to pass | |
| Liner Protection | | | | | Х | Х | Х | Х | Non-woven geotextiles protect liners from damage by sharp objects, elevating puncture impact and abrasion resistance |
| Asphalt Overlay | Х | Х | Х | Х | | | | | Absorb asphalt tack to form moisture barrier that retards reflective cracking |
| Railroad Stabilization | | | Х | | | | Х | Х | Putting a non-woven geotextile directly on a soft saturated subgrade extends road and rail life by preventing aggregate and ballast from intermixing with soil |
| Erosion Control | | | | | Х | Х | Х | Х | Non-woven geotextiles can help relieve hydrostatic pressure beneath hard armor and prevent subsurface soils from migrat- ing through the erosion control system |
| Roadway Stabilization | | Х | | | Х | Х | | | Putting a non-woven geotextile directly on a soft saturated subgrade extends road and rail life by preventing aggregate and ballast from intermixing with soil |
| Waste Management | | | | | Х | Х | | | Non-woven geotextiles are used to separate layers and to protect liners in the landfills |

| | Mutual Non-Woven Specifications | | NW35 | NW40 | NW45 | NW60 | NW80 | NW100 |
|---|---------------------------------|-------------|--------------|-------------|-------------|-------------|-------------|--------------|
| į | Grab Tensile Strength | ASTM D-4632 | 90 lbs. | 105 lbs. | 120 lbs. | 165 lbs | 215 lbs | 270 lbs |
| 2 | Grab Elongation | ASTM D-4632 | 50% | 50% | 50% | 50% | 50% | 50% |
| | Trapezoid Tear | ASTM D-4533 | 35 lbs. | 45 lbs. | 50 lbs. | 90 lbs | 85 lbs | 100 lbs |
| | Puncture | ASTM D-4833 | 55 lbs. | 60 lbs. | 65 lbs | 90 lbs | 115 lbs | 150 lbs |
| Ö | Mullen Burst | ASTM D-3786 | 185 PSI | 210 PSI | 230 PSI | 310 PSI | 360 PSI | 450 PSI |
| | Permittivity | ASTM D-4491 | 2.2 SEC-1 | 2.2 SEC | 1.5 SEC-1 | 1.1 SEC | 1.0 SEC | .7 SEC |
| | Permeability | ASTM D-4491 | .2 CM/SEC | .2 CM/SEC | .25 CM/SEC | .2 CM/SEC | .25 CM/SEC | .25 CM/SEC |
| | A.O.S. | ASTM D-4751 | .21 US Sieve | 70 US Sieve | 70 US Sieve | 80 US Sieve | 80 US Sieve | 100 US Sieve |
| | Water Flow | ASTM D-4491 | 110 gpm/ft2 | 150 gpm/ft2 | 120 gpm/ft2 | 80 gpm/ft2 | 65 gpm/ft2 | 55 gpm/ft2 |
| | U.V. Resistance (500 hr) | ASTM D-4355 | 70% | 70% | 70% | 70% | 70% | 70% |
| | Weight (oz/sq yd) | ASTM D-5261 | 3.5 oz | 4 oz | 4.5 oz | 6 oz | 8 oz | 10 oz |

Geotextile Products Woven



| | MUTUAL WOVENS | | | | | | | |
|-----------------|---------------|-------|-------|--|--|--|--|--|
| USES | GC125 | WF200 | WF315 | | | | | |
| Ground Cover | Х | | | Woven geotextiles are used to hold soil in place. They can also be used under Rip Rap, Gabions or precast block. Woven geotextiles area time and money saving alternative to traditional methods using graded aggregate or sand filters. | | | | |
| Separation | | Х | Х | To prolong surface life and stabilize the foundation. | | | | |
| Stabilization | | Х | Х | Woven geotextiles provide a rugged separation layer between aggregate and subgrade. | | | | |

| Mutual Woven Specifications | | GC125 Ground Cover | WF200 WOVEN GEOTEXTILE | WF315 WOVEN GEOTEXTILE |
|--------------------------------|-------------|-----------------------|---------------------------|---------------------------|
| Grab Tensile Strength | ASTM D-4632 | 125 lbs. | 200 lbs. | 315 lbs. |
| Grab Elongation | ASTM D-4632 | 15% | 15% | 15% |
| Trapezoid Tear | ASTM D-4533 | 70 lbs. | 75 lbs. | 120 lbs. |
| Puncture | ASTM D-4833 | 68 lbs. | 100 lbs. | 120 lbs. |
| Mullen Burst | ASTM D-3786 | 291 PSI | 400 PSI | 600 PSI |
| Permittivity | ASTM D-4491 | .07 SEC | .07 SEC | .05 SEC |
| Permeability | ASTM D-4491 | - | .005 CM/SEC | .005 CM/SEC |
| A.O.S. | ASTM D-4751 | 40 US Sieve | 40 US Sieve | 40 US Sieve |
| Water Flow | ASTM D-4491 | - | - | 4.0 gpm/ft2 |
| U.V. Resistance (500 hr) | ASTM D-4355 | 90% | 90% | 90% |

Tire Scrub Fabric (Driveway Kit)

The WF200 12 $V_2' \times 54'$ fabric is placed under aggregate and stabilizes the ground to be used as a tire scrub for trucks entering or leaving a job site. The purpose of a stabilized entrance is to reduce or eliminate the tracking of sediment onto public right of ways and streets. Reducing tracking of sediments and pollutants onto paved roads help prevent deposition of sediments into local storm drains and production of airborne dust.

Mutual Wovens

Mutual's wovens are available in cut rolls in the following sizes:

WF200: 12-1/2' x 432', 15' x 360', 17-1/2' x 309', 30" x 300', 36" x 300', 42" x 300' and 72" x 300'

WF315: 12-1/2' x 360'

GC125: 3' x 300', 4' x 300', 6' x 300', 12' x 300'



Sod Staples

Ideal for keeping blankets in place, these metal staples are available in 11 gauge 4" and 6" sizes and in 8 gauge 8" and 12" sizes.



Fabric Pins


Ideal for fastening landscape fabric and ground cover. Available in 12" and 18" lengths, 100 per box.





Diamond Link Fence

These high density polyethylene (HDPE) fences are very rigid and very strong. They look and feel like chain link but are all plastic. Available in OSHA orange for traditional construction applications, as well as 4 other colors, they are used in sporting events, for crowd control, parades, golf tournaments and stadiums. Diamond link fence is available in 4' x 50' rolls.





Barricade Safety Fabric Part# 14997

Barricade Safety Fence Part# 14989 Pre-Posted

Mutual's revolutionary woven polypropylene fabric fence is flexible and lightweight, yet very strong. Thirteen extruded solid bands make this fence highly visible and resilient. The lightweight fabric (only 14lbs. for a 4' x 150' roll) makes it easy to install even on irregularly contoured land or over existing obstacles. Available in high-visibility orange in 4' x 150' rolls without posts. Preposted fence is available in 4' x 100' rolls with eleven 1" x 2" x 5' posts pre-attached.




Smooth Top Diamond Link Fence Part# 14988-145-48

Available in 4', heights in 50' lengths, in orange only. The Smooth Top Diamond Link is the same construction as Diamond Link Fence, except it is manufactured with a no-snag smooth top.



A variation of Diamond Link Fence, Mutual's Safety Edge fence features a no-snag smooth top. This HDPE fence is also very rigid and strong. It is available in 4' x 50' and 4' x 100' Orange, and 4' x 50' Green.



Safety Fences & Accessories

Mutual's Flame Retardant Orange Debris Netting satisfies OSHA regulations for debris containment, perimeter safety, overhead protection, and the all-inclusive "general duty"

Flame Retardant **Debris Netting**

Part# 14915-0-66 66" x 150')

- Coated PVC polyester with reinforced border
- Lightweight, stays flexible in cold weather
- Fire Retardant
- Hole opening 1/8" x 3/16"

Flame Retardant **Debris Netting**

- Part# 14915 (48" x 150')
 Made of knitted polyethylene threads with reinforced border
- Lightweight, stays flexible in cold weather • Fire Retardant
 • Economical and cost-effective
- Hole opening 1/4"



Natural Wood Snow/Sand Fence

Part# 14910-9-48 With 4 strands of 14 gauge twisted wire supporting 3/8 x 1-1/2" natural wood slats, our traditional wood lathe slatted fence is ideal for snow and sand control. Available in 4'x50' rolls.

Green Privacy Fence

Ideal for tennis courts, golf courses, baseball fields, or anywhere where personal privacy or wind protection is needed. Available in dark green high density polyethylene 68" x 150' rolls.



Black Privacy Fence

Prime applications include urban construction sites where scaffolding is used. Also ideal for tennis courts, golf courses, baseball fields, or any place where privacy or wind protection is needed. Available in 92" x 150' rolls







Neon Locking Ties Part# 14970 Mutual's multi-purpose neon locking ties are perfect for many different color coding and

fastening applications. They are available in 7" and 11" lengths and are packed in convenient 100 piece poly bags. Available Colors: Neon orange, neon pink, neon yellow, neon green, neon blue, as well as standard red, yellow and natural.

Nominal Hardwood Stakes 1-1/2" Fence Posts 1"x 2"x 60'




High grade hardwood stakes have pencil points for easy driving. Use these to assemble your own silt fence, staking hay bales, perimeter markers, plus countless other applications.

Available in the following stock sizes:

- 1-1/2" x 1-1/2" Nominal 48", 36"
- 2" x 2" Nominal 48", 42", 36"
- 1" x 2" Nominal 60"

Channel Post Part# 14645
Mutual's heavy duty steel posts are
easy to install and are made of
durable 13 gauge steel. They are rust
proofed by phosphate etching and feature a green enamel finish. Each post has a stabilizing anchor plate, and comes in 5' and 6' heights.



Steel T-Post


Mutual offers 4' T-post unpainted with no kick plate and 5' or 6' painted T-post with no kick plate for most wire back silt fence and safety fence applications.



Post Pounder

Make installations easy with Mutual's Post Pounder, featuring a solid steel head for maximum driving force. The side handles on this steel post pounder are tapered outward and back for a more comfortable grip and to keep your hands out of the way if driving posts close to fence lines. Steel post pounder drives posts up to 2-1/2" in diameter. 24" long and weighs 23lbs. Made in USA.





Barricade Tape Products

BAUTION





Barricade Tape Part# 17779

Designed to protect and identify above ground hazardous areas or elements such as construction sites, work areas, crime scenes, or elements such as construction sites, work areas, crime scenes, crowd control and any potentially dangerous areas, Mutual's barricade tape is available with more than 50 different in-stock legends. All legends are printed in crisp, bold black lettering on a yellow or red polyethylene material. These tapes can either be customized with an imprint of your company's name, logo and telephone number, or they can be purchased from Mutual's stock legend inventory. They are available in 3" x 1000', or 3" x 300' rolls. A larger 6" x 1000' roll is also available upon request.

2 Mil Caution Tape

A more economical version of Mutual's quality barricade tape. Please call for available legends.



Protective Dispenser Box

This protective dispenser box is now available for Mutual's 3" x 1000' size of barricade tape. When used hand held or in conjunction with a flag staff or shovel handle, it becomes a handy dispensing unit. The dispenser box also protects the unused portion of the tape from becoming tangled or unwound, as well as making an excellent shelf



Protective Plastic Dispenser Part# 14978-1

This moulded plastic dispenser with carrying handle holds one 3" x 1000' roll of barricade tape. It is ideal for carrying, protecting and managing a large tape roll. It dispenses through a slot which prevents tangling and waste by housing the unused portion, allowing easier unwinding. A serrated plastic edge makes tearing the tape neat and easy. Great for: Police, Fire, EMT, Security, Contractors. (Tape not included)



Reinforced Barricade Tape

Mutual's Reinforced Barricade Tape offers increased tensile strength providing extra safety for hazardous areas. This highly visible, highly durable tape is produced from polyethylene embedded with woven polyester fibers which allow it to retain it's shape without sagging or stretching in harsh elements such as heat, rain, or wind. Stock legends include CAUTION (yellow) and DANGER (red) in 3' x 500' rolls. Other legends and private labeling are available, please call.





Overspray Sleeve

Lengthen the life of your spray painter hoses' with Mutual's exclusive "Overspray Sleeve" Hose

Protector. Durable 4-mil polyethylene protects your hoses from caked paint build-up, eliminating the need for clean-up as well as making them less likely to crack and need replacement. The bright yellow provides added visibility, reducing the risk of tripping, and ensuring a safer working environment. Installation is simple – just unroll the overspray sleeve and slip it over the hose. Mutual's own Sleeve Ties securely fasten the overspray sleeve onto the hose. As inexpensive as 14¢ per use!



Asbestos Hazard Warning Tape **Asbestos** Lead Hazard Warning Tape

Lead

This specialized, white, polyethylene, barricade tape is used to warn people of an asbestos or lead hazard. The white tape is printed with both red and black ink and is used during abatement operations as mandated by OSHA. This tape meets or exceeds all OSHA regulations and comes in 3" x 1000' rolls. Available in asbestos or lead hazard warning tape. 8 rolls per box.



Specifically Designed for the Paper Industry!

Available Legends* 3" x 45 yds.

CAUTION CAUTION CAUTION DO NOT ENTER DO NOT ENTER CAUTION MEN WORKING CAUTION ASBESTOS HAZARD CAUTION MEN WORKING OVERHEAD DANGER DANGER DANGER DO NOT ENTER DANGER ASBESTOS HAZARD DO NOT ENTER HAZARDOUS AREA KEEP OUT

Available Legends* 2" x 45 yds. **CAUTION CAUTION** BLACK STRIPE **KEEP OUT** DANGER DANGER **BLACK STRIPE**

*Please Call for Availability of Specific Legends. Other Legends Are Also Available

Repulpable Barricade Tape

(100% cotton) Part# 17771
Penulpable barricade tape is another Mutual Industries exclusive. This 100% cotton tape was developed solely for use in paper mills where plastic contamination is a major problem. Blade lines are reduced because repulpable tape actually becomes part of the pulp and paper process. It is available in 3" x 45 yard rolls and 2" x 45 yard rolls, plain or printed with legends. 2", 20 rolls per case. 3", 30 rolls per case.





Biodegradable Barricade Tape Part# 17773

The only truly biodegradable barricade tape on the market, these tapes are made of non-woven cellulosic material derived from wood pulp. They are completely non-toxic to humans, animals, and the environment. Complete degradation occurs outdoors in 6 to 24 months depending on specific environmental conditions. These tapes come in 3" x 500' rolls and are printed with black "CAUTION" on yellow or "DANGER" on red tape.

Specialized Tape Products Non-Adhesive





• BURIED WATER LINE BELOW

BURIED GAS

- BURIED ELECTRIC LINE BELOW
- BURIED GAS LINE BELOW
- BURIED SEWER LINE BELOW
- BURIED FIBER OPTIC TELEPHONE LINE

Non-Detectable Underground Marking Tape Part# 17783

Specifically designed for underground use, Mutual's specially formulated extra heavy 4.5 mil polyethylene tape resists chemicals in soil for longer life. Available in 3" and 6" x 1000' rolls.



Underground Detectable Tape

The tapes provide the ultimate protection in preventing costly "Dig-Ins". This tape is available in 2" x 1000', 3" x 1000' and 6" x 1000' rolls. Mutual's 5-mil double-laminated, permanently bold, black-lettered underground detectable tape comes in 8 APWA color-coded legends:

- RED-ELECTRIC
- BLUE-WATER
- YELLOW-GAS
- GREEN-SEWER
- GREEN-STORM DRAIN
- ORANGE-TELEPHONE/FIBER OPTIC
- BROWN-FORCE MAIN
- PURPLE-RECLAIMED WATER LINE



Glo-Reinforced Barricade Tape

Part #17772-139 Lime Part #17772-145 Orange

Mutual's vinyl coated nylon reinforced fluorescent barricade tape is extremely strong and is reusable. This product is available stock in 3/4", 1", 2", 4" and custom widths all on 50 yd rolls.




Woven Barricade Webbing Part# 17780


This Mutual product has a high, 100 lb. tensile strength in 3/4" widths and a 300 lb. tensile strength in 2" widths. Colors available are yellow/black/yellow, and red/black/red. Tape comes in 50 yd rolls.

Reflective Tape Products Adhesive

ape Products



(Reflective Truck Tape) Part# 17766
Federal law requires tractor trailers, flat beds, tankers etc. to have a 2" wide highly reflective tape on the sides and rear of each vehicle. Mutual's red and white striped tape (11" red, 7" white) comes in 2" x 50 yd rolls and meets all federal and state specifications. Specification compliance: Reflectorization Requirements: ASTM D4956-93B Type V. NHTSA conspicuity regulation: LS300 C - FP92. Effective 12/1/93.






Foil Backed Pavement Marking Tape Engineer Grade 4" X 50 yds.

Construction Grade 4" X 100 yds.

Mutual's temporary foil backed marking tapes are ideal for construction or roadwork where temporary re-routing of traffic flow is required. These tapes are easily installed by hand with no special tools or equipment. In some circumstances, a primer sealer is also recommended. They are available in 4" widths in reflective yellow or white.



Reflective Barrel Tape Part# 17794Mutual's reflective barrel tape is perfect for refurbishing your old, tired-looking barrels. These high intensity, super engineering grade (ASTM Type II) barrel tapes meet all DOT specs and are available in orange or high intensity ASTM III white 50 yd rolls, in 4" or 6"widths. See our Retro-Reflective Engineering Grade (ASTM Type I) tape below when less stringent specifications are required.



Retro-Reflective Tape

Engineering Grade - ASTM Type

Mutual's pressure sensitive engineer grade reflective tape can be used indoors or outdoors, day or night. Enclosed glass beads reflect light making the tape highly visible at night or in blackout conditions. Available in 1", 2", and 4" widths, 10 yard or 50 yard rolls in red, white, blue, yellow, orange, and green. Custom widths up to 48" available by special order.



Reflective Hazard Stripe Tape

Reflective hazard stripe tape catches light and sends it back to the source for exceptional night time visibility. 2", 3", and 4" widths in 10 yd and 50 yd rolls. Custom sizes available.



Reflective Barricade Tape Part# 17795 Engineering Grade ASTM I, II, III Mutual's orange and white pre-striped reflective barricade tape is ideal for repairing or making your own barricade. Engineering Grade ASTM Type I and Super Engineering Grade ASTM Type II barricade tape is available in 8", 10" and 12" widths in 50 yd rolls, and comes with 4" or 6" strips slanted left or right. Also available in High Intensity ASTM Type III. Please Inquire. See our Reflective Hazard Stripe tape when less stringent specifications are required.

Specialized Tape Products Adhesive



Black Electrical Tape

This 3/4" X .007 Mil 60' electrical tape is UL Certified and is packaged in 10 roll sleeves, 20 sleeves per case. Sold by the case only.

Color Vinyl Aisle-Marking Tape Part# 17785

Mutual's aisle-marking tape is available in every OSHA-approved color. The durable, 6-mil PVC tape is abrasion, oil and grease resistant. It is used to mark aisles and pathways, and is also useful for color-coding applications. Available in 2" x 36 yd and 3" x 36 yd rolls in the following colors: yellow, red, white, orange, blue, brown, grey, green, purple, and black. 2", 24 per case. 3", 16 per case.





Hazard Stripe Tape Part# 17770
This 7-mil PVC vinyl, pressure-sensitive tape is required by OSHA 1910.44 to signal physical hazards. Available in 2" and 3" widths on 18 yd rolls in blk/yellow, blk/white, red/white, and yellow/magenta colors.

Typical Color Codes:

• Black/Yellow - Physical Hazard/Caution

• Red/White - Fire Equipment/First Aid

• Black/White - Traffic/Housekeeping 2", 24 per case, and 3", 16 per case



"Super Tough" Hazard Stripe Tape

Mutual's polypropylene laminated "super tough" hazard stripe tape is an extremely durable, grease resistant, pressure sensitive tape that is ideal for applications where an extra measure of wear resistance is required. Available in 2", 3" or 4" widths in 18 or 36 yd rolls. Other sizes

are also available, please inquire. Available colors: black/yellow, red/white, black/white. 2" 24 per box, 3" 16 per box, 4" 12 per box.



Duct Tape Part# 17807

Mutual's DT260 8mil Duct Tape is a silver polyethylene single coated cloth with high tack rubber adhesive. Perfect for a variety of utility tasks. Meets UL723 requirements. 2" x 60yd rolls packed 24 per case.

| TEST DATA Test | Typical Value (Metric) | Typical Value | Test Method |
|---------------------|------------------------------------|---------------|-------------|
| Thickness | 8 mil | .2 mm | ASTM D-1000 |
| Adhesion to Steel | 90 oz/in | 9.9 N/cm | PSTC-1 |
| Adhesion to Backing | 3 40 oz/in | 4.4 N/cm | PSTC-1 |
| Tensile Strength | 22 lb/in | 38.5 N/cm | ASTM D-1000 |
| Elongation | 12% | 12% | ASTM D-1000 |

Hook and Loop Fastening Tape and Coins Part# 152 Hook Part# 153 Loop

Part# 152 Hook Part# 153 Loop

Mutual's hook and loop fastener is ideal for so many uses.

It is great for mounting signs and plaques, holding down equipment in utility vans and trucks, as well as thousands of other applications. Aggressive adhesive backing sticks to most surfaces. Packaged in convenient 25 yard rolls.

Available in black or white:

Tape: 3/4", 1", 1-1/2", 2", 4" widths in 25 yd rolls

Coins: 3/4" 1050 per roll and 7/8" 925 per roll





Non-Skid Hazard Stripe Tape Part# 17796 Hazard Stripe Non-Skid Glo-in-the Dark Tape Part# 17797 Glo-in-the-Dark

Two versions of Mutual's high quality non-skid tape that are ideal for a wide variety of uses. These tapes are two tapes in one, providing high-visibility marking with non-skid protection.



Non-Skid Abrasive Safety Tape Part# 17768

Reduce the risk of slips and falls on ramps, stairs, slick concrete, and tile floors with Mutual's non skid abrasive safety tape. Made from black aluminum oxide with an aggressive adhesive to conform to irregular surfaces, this tape is extremely durable in high-traffic areas. Acrylic adhesive bond strengthens with time and heat for long wear.

• Helps with OSHA compliance 1910.263(3)

• Prevents unnecessary slips and falls
Available stock sizes: 1" x 60', 2" x 60', 4" x 60', 6" x 60' and die cuts 3/4" x 24", 6" x 24", 5-1/2" x 5-1/2" in black. Other sizes are also available by special order. Also by special order are dark blue, It. blue, green, white, yellow, red, clear, neon pink, neon orange, and neon yellow.







Biodegradable Flagging Tape Part# 17781Mutual is the only manufacturer of a truly biodegradable flagging tape in the United States. These tapes are made of non-woven cellulosic material derived from wood pulp. They are completely non-toxic to humans, animals, and the environment. Complete degradation occurs outdoors in 6 to 24 months depending on specific environmental conditions. Some common uses include trail marking, agricultural, and horticultural applications. These tapes come in 5 colors and are stocked in 1" x 100' rolls, with widths from 1" to 48" available. 12 rolls per box, 144 per case.



these specialized aerial targets to save time and labor costs involved in painting targets for aerial surveying. Mutual's pre-made targets are manufactured on heavy 6-mil or 3-ply reinforced vinyl, and come in either a bull's-eye or iron cross design. These premade targets, complete with grommets, are 100% reusable.







-40°f "TUNDRA" Flagging Tape (PVC) Part# 17777
This new and improved heavy-duty "TUNDRA" flagging tape is nationally recognized as the best quality on the market today. It is made from a superior grade of 5-mil non embossed PVC with a low cold crack rating (up to -40°F temperatures) and extra U.V. inhibitors. "TUNDRA" is reasonably priced for those who don't mind paying a little extra for the best product. These tapes are stocked in 1-3/16" widths, but are available in widths from 1/2" to 54" in 5 glo colors. When ordering, ask for "TUNDRA" by name. 12 rolls per box, 144 per case.



Aerial Paneling Material Heavy 6 mil Harlequin 3 ply

Mutual's aerial panel material is the finest quality and is available in 6", 12", 18", and 24" widths on 100 yard rolls of either 6-mil PVC or 3-ply, 100' reinforced Harlequin (black on one side and white on the other).



Printed Flagging Tape Part# 1600

Mutual's flagging/surveying tape is highly visible and is available in $1\text{-}1/2^\prime \times 50$ yd rolls printed with the following legends and colors glo orange (GO) or glo pink (GP):

- SKULL AND CROSSBONES (ONLY) (GO) WETLAND BOUNDARY (GO), (GP)
- DANGER DANGER (GO)

- TIMBER HARVEST BOUNDARY (GP)
- PROPERTY LINE (GP)
- RIPARIAN MANAGEMENT ZONÈ (GP)
- WETLAND DELINEATION (GP)
- STREAMSIDE MANAGEMENT ZONE (GP)



 PEST MGT (GP) 9 rolls per box, 100 per case.

Marking & Measuring Products

Narking Products

Lumber Crayons Part# 16100 Smear resistant, water resistant, and

fade resistant, Mutual's extruded 4-1/2" x 1/2" hexagonal crayons will outlast wax or chalk crayons. They are ideal for use on lumber, steel, concrete and most rough surfaces. Available Colors: Glo-pink, red, yellow, blue, black, green. 12 per box/2 gross case.



Carpenter Pencils

Superior quality, long lasting, easily sharpened flat lead pencils are ideal for many construction marking uses. Now these pencils come packaged in an attractive point-of-purchase display, packaged 6 sleeves of 12, 72 pencils per box.



6" Stake Whiskers Part# 15900 Mutual's Stake Whiskers are unique marking devices for many types of surface applications. Brightly colored, durable and resilient, they are easily and conveniently attached to wooden stakes or to 60-penny nails. These extraordinary markers are ideal for highway and road construction, grade stakes, hubs, reference points, bench marks, center lines, utility line paths, forestry, agriculture, exploration and seismographic applications. Available colors are blue, red, orange, yellow, white, green, glo-pink, and glo-orange. 500 whiskers per box.



Made of fluorescent red/orange vinyl-impregnated nylon fabric, these nail markers are so tough they are almost impossible to tear.

Measuring a 1" square with a 1/8" or 1/4" center hole, they are also available in custom-made sizes. 50 bags, 70 per bag.



Traffic Stripe Paint

Mutual's 20 oz. water-based paint formulated with high pigment solids is not affected by water. Perfect for a wide range of applications including blacktop, concrete, gravel, and dirt. Available in white and yellow. 12 cans per box.



Athletic Field Paint

Mutual's 20 oz. water-based paint is specially formulated to not harm grass, yet is not affected by water for maximum durability. Available in white and yellow. 12 cans per box.



Mutual 20oz. Inverted Spray Paint

Mutual's Water-Based Inverted Spray Paints offer name brand quality at a more economical price. 12 cans per box.

Available Colors:

Fluorescent Marking Paints

- 652-10 #652 WHITE
- 654-179 #654 FLO RED 657-145 #657 FLO ORG
- 658-7945 #658 FLO RED/ORG
- 679-175 #679 FLO PINK 668-139 #668 FLO GREEN

A.P.W.A. Marking Paints

- 669-125 #669 FLO BLUE
- •671-79 #671 SAF RED
- 655-39 #655 SAF GRN
- 677-41 #677 CAUT YLW
- 653-25 #653 PRECAUT BLUE
- 670-45 #670 ALERT ORG
- 676-141 #676 HI-VIS YLW



Krylon® Inverted Marking Paint

Ideal for a wide variety of surveying and marking applications, these paints work well on gravel, black top, grass, stone, concrete and other surfaces. Convenient spray through cap and non-clogging tip provide reliable one-stroke application. Solvent based, VOC compliant, no lead marking paint is available in 20 oz cans. 12 cans per box.

Fluorescent Marking Paints A.P.W.A. Marking Paints

- \$03613V-FLO SAFETY RED \$03614V-FLO NEON GREEN \$03615V-FLO PURPLE
- SO3702V-FLO ORANGE
- SO3622V-FLO HOT PINK

• SO3701V-FLO RED/ ORG General Purpose Marking Paints

- SO3550V-ASPHALT BLACK
- SO3640V-SILVER

- SO3631V-APWA GREEN
- SO3611V-APWA RED SO3821V-APWA HI VIS YELLOW
- SO3621V-APWA BLUE
- SO3731V-BRIGHT ORANGE
- SO3823V-SAFETY YELLOW • SO3900V-UTILITY WHITE

lines to concrete and asphalt.

• O3500V-CLEAR*

*WATER BASED

Inverted Marking Accessories Part# 4000-12 12" Hand Held Wand Part# 4000-34 34" Hand Held Wand

These convenient hand held wands make application clean and easy. Wands are available in 12" and 34" lengths. Belt holster also available.





fields or other turf surfaces.





IS, GIANO



The Pointer (Black)
Part# 82391
Mutual's quality black

Mutual's quality black permanent marker has a fine tip, packaged 12 to a box.



White Paint Crayons Part# 82010

Solid paint in the form of a crayon that marks on any surface: rough, oily, wet, hot or cold (-50 to 150 degrees F). 12 per box.



Maxi Marker (Black)

Part# 82191

Large barrel permanent marker that creates highly visible lines. Extra large chisel tip with a large ink reservoir, packaged 12 per box.



Valve Paint Markers Part# 800


Mutual's valve paint markers provide 10 times the life span of regular fiber tip markers due to their large reservoirs and replaceable nibs.

Available in black, red, pink, yellow, or white, 12 per box.



Pencil China Markers
Part# 82200

Mutual's pencil china markers are ideal for marking on many different surfaces. Each has a pull cord for easy sharpening. Available in black, red or white, 12 per box.



This style has a 10" diameter wheel with kickstand. Its 5 digit counter measures up to 10,000 units. Equipped with a telescopic aluminum handle. Stocked in feet and inches increments, it is also available to order in feet and tenths as well as meters and centimeters.



Measure Marker

This measuring wheel and paint marking combo has dual 6" diameter wheels and a 5 digit counter which measures up to 10,000 units. Stocked in feet and inches increments, it is also available to order in feet and tenths as well as meters and centimeters.







This style has durable twin 4 inch wheels for stable and accurate measuring on hard indoor and outdoor surfaces. Its 5 digit counter measures up to 10,000 units. Equipped with a telescopic aluminum handle. Stocked in feet and inches increments, it is also available to order in feet and tenths as well as meters and centimeters.



This style has a 14.3" diameter wheel with kickstand. Its 5 digit counter measures up to 10,000 units. Equipped with a telescopic aluminum handle. Stocked in feet and inches increments, it is also available to order in feet and tenths as well as meters and centimeters.





Part# 15906

Oversized 12" x 18" pennants spaced every 15" on a 60' length roll. Yellow pennants have alternating legends which read:

Red pennants have one legend which reads: "Danger Keep Out." Sold by the strand.

"Danger Keep Out", "Safety Always", "Be Careful", "Danger Ahead", "Safety First."

Yellow Poly-Safety Rope

Manila Poly-Safety Rope

3/8" x 600'

OSHA Perimeter Markers

OSHA requires perimeter marking for any above ground construction area, flat roof job, and open upper level construction.

OSHA Perimeter Marker Part# 15903-41 Yellow

Mutual's "OSHA" Perimeter Marker is 105 ft. in length and exceeds the required breakstrength and contains 42 12"x18" flags. Sold 10 strands per case.

OSHA Perimeter Marker

Same as above in red.

OSHA Perimeter Marker RED/YELLOW


Part# 15903-7941 Same as above in red/yellow.



Rebar Caps and Fall Protection



Lime Std Rebar Caps Part#14640-138-3 Mushroom style rebar safety caps provide the protection you need from protruding rebar at your construction sites. These high-quality mushroom style caps are brilliant lime for excellent visibility. 500 per box



Standard Rebar Caps

Standard Rebar 500 per box **-2** Large Rebar 100 per box Mutual's Mushroom style rebar safety caps provide the protection you need from protruding rebar at your construction sites. These high-quality mushroom style caps are brilliant orange for excellent visibility, and are available in standard for rebar #3 - #9, large for rebar up to 2" diameter. Mushroom caps are of use where the danger of impalement is not present.



Safety Harness & Lanyard

Lightweight Universal Size Harness with 1 back D-ring, mating buckle leg closures. Includes 1 lanyard keeper and work belt loops. 6 ft. shock absorber lanyard attached.



Tent Caps (Rebar - White) Part#14610-2 Large 100 per box. Designed for the party and rental industries, Mutual's tent caps prevent potential injury from protruding rebar. These caps are made of a tough ABS plastic and are white to provide visible yet unobtrusive protection.



Safety Harness

Lightweight Universal Size Harness with single back D-ring. Mating buckle leg closures.
Weight: 2.3 lbs.
Material: Polyester Web Steel D-rings & mating buckles

Stress Indicators: YES

Webbing -Min.Tensile Strength: 6,000 lbs.



Shock-Absorbing Lanyard

6 ft. Shock absorbing lanyard with 2 locking snap hooks.

Vests Heavy Weight Safety



Heavy weight safety vests are made from 7.5 oz. vinyl coated nylon mesh. A great choice where a heavier, firmer vest is desired, or for colder climate areas in winter.



Heavy Weight Safety Vest-Plain Part# 16301-1



Heavy Weight Safety Vest HG 1-3/8" Lime Reflective Part# 16301-138-1375

ANY VEST CAN BE CUSTOM MADE ALL VESTS CAN BE CUSTOM PRINTED



Heavy Weight Safety Vest 1-1/2" Lime/Silver/Lime Reflective Part# 16301-153-1500

Soft Mesh Safety



Soft mesh is the most popular vest material, and Mutual's knit poly mesh sets the industry standard for quality and comfort.



Soft Mesh Safety Vest-Plain Part# 16300-1



Soft Mesh Safety Vest-Plain Part# 16304-1



Soft Mesh Safety Vest 1-3/8" Lime/Yellow Reflective Part# 16300-138-1375



Soft Mesh Safety Vest 1-1/2" Lime/Silver/Lime Reflective Part# 16300-153-1500



Soft Mesh Safety Vest 1" Lime/Yellow Reflective Part# 16300-138-1000



Soft Mesh Safety Vest 1" Silver Reflective Part# 16300-53-1000



Soft Mesh Safety Vest 1" Silver Reflective Part# 16304-53-1000



Soft Mesh Safety Vest 1" White Reflective Part# 16304-10-1000



Soft Mesh Safety Vest 1-1/2" Orange/Silver/Org Reflective Part# 16308-4553-1500



ANSI CLASS 2

ANY VEST CAN BE CUSTOM MADE ALL VESTS CAN BE CUSTOM PRINTED



ANSI CLASS 2 LIME MESH VEST

Part# 16375 Mutual's new Class 2 vest with 2" silver reflective stripes from 3.4 oz. made from durable, extra breathable high visibility lime material. Full velcro closure in sizes L-4XL.



ANSI CLASS 2 ORANGE MESH VEST

Same as 16375 in orange.





Velcro





ANSI CLASS 2 ORANGE MESH TEARAWAY

- 4" lime/silver/lime reflective tape on front and back
 3.4 oz durable, extra breathable 100% knit polyester mesh high visibility lime material • Matching high visibility trim all around
- Five point velcro tearaway (shoulders, sides, and front)
- Stock sizes: L-4XL, other sizes made to order

ANSI CLASS 2 SOLID ORANGE TEARAWAY

Same as 16388 with 3.65 oz. breathable, extra durable 100% knit polyester high visibility orange material.





ANSI CLASS 2 LIME MESH TEARAWAY

Part# 16386

Same as 16388 in lime with 4"orange/silver/ orange reflective tape on front and back.

ANSI CLASS 2 SOLID LIME TEARAWAY

Same as 16389 in lime with 4"orange/silver/ orange reflective tape on front and back.



ANSI CLASS 2



ANSI CLASS 2

HydroWickTM T-SHIRT
Part# 16355 - Lime
Part# 16357 - Orange
Made from 100% 6.2 oz. polyester, Mutual's
high visibility t-shirt features 2" silver reflective tape front and back, as well as HydroWick technology which wicks away moisture from your skin for a soft, comfortable, dry feel.

HydroWick is a process that allows perspiration to dry away front the skin, leaving the wearer cool and comfortable even in the most demanding conditions. It's soil release properties also reduce stains.

Available in Lime and Orange in sizes M-4XL.



TEE LIME PLAIN HydroWick™

TEE ORANGE PLAIN HydroWick™

Same as above without reflective (Not ANSI Compliant). Available in sizes M-4XL.

ANSI CLASS 2 HydroWick™ **CREW NECK SWÉATSHIRT**

Made from 100% 9 oz. polyester, Mutual's high visibility crew neck sweatshirt is oversized with plenty of room to move. It features 2" silver reflective tape front and back, as well as HydroWickTM technology which wicks away moisture from your skin for a soft, comfortable, dry feel. Triple stitched for long lasting durability. vailable in Lime in sizes M-4XL. Larger sizes upon request.

> ANY VEST CAN BE CUSTOM MADE ALL VESTS CAN BE CUSTOM PRINTED



ANSI CLASS 3



ANSI MESH CLASS 3 VEST

New ANSI Standard Class 3 with sleeves, made from 3.4 oz. durable, extra breathable high visibility orange material with 2" silver reflective stripes. Full velcro closure in sizes SM-4X. Additional sizes available by request.



ANSI MESH CLASS 3 VEST

New ANSI Standard Class 3 with sleeves, made from 3.4 oz. durable, extra breathable high visibility lime material with 2" silver reflective stripes. Full velcro closure in sizes SM-4X. Additional sizes available by request.

ANY VEST CAN BE CUSTOM MADE ALL VESTS CAN BE CUSTOM PRINTED



ANSI CLASS 3 BOMBER JACKET

Reflective tape: 2" Silver

• Waterproof exterior, hood in collar, and zippered pockets

Shell: 300D polyester oxford PU coating rib cuff
 Lining: 190T polyester 10cm diamond quilt
 Sizes available: M- 5XL




ANSI CLASS 3 THREE PIECE RAIN SUIT

- 2" silver reflective tape on front and back
 Heavy 35mm PVC/Polyester high visibility lime material
- 3-piece rainsuit consists of jacket with detachable hood, and bib overall pants
- Reinforced seams for strength and durability
- Entirely waterproof
- Comfortable, oversize fit: L 4XL

ANSI CLASS 3 WINTER PARKA

- 2" silver reflective tape on front and back
- Heavy insulated high visibility lime mid-length coat
 Collapsible hood with drawstrings for added versatility
 - Reinforced seams for strength and durability





Vests Surveyor ANSI CLASS 1 ANSI ISEA 107-2010 Compliant Safety Vests POCKETS **ANSI CLASS 1 SOLID ORANGE SURVEYOR VEST** • 1-3/8" high gloss lime/yellow reflective tape on front and back 3.65 oz breathable, extra durable 100% knit polyester high visibility material Contrasting black trim all around Multiple pockets Zipper closure • Stock sizes: L-4XL, other sizes made to order Outside Left Breast Pocket Outside **ANSI CLASS 1 ORANGE MESH BACK SURVEYOR VEST** Same as 16309-45 but mesh back for add **ANSI CLASS 1** ANSI CERTIFIED MESH **LIME MESH BACK SURVEYOR VEST** Part# 16310-10 Same as 16302 in lime with 1-3/8" high gloss white reflective tape on front and back.

Surveyor ANSI CLASS 2

ANY VEST CAN BE CUSTOM MADE ALL VESTS CAN BE CUSTOM PRINTED

Pocket











- 1-3/8" high gloss lime/yellow reflective tape on front and back
- 3.65 oz breathable, extra durable 100% knit polyester high visibility material on front with mesh back for added comfort
 • Contrasting black trim all around
- Multiple pockets
- Zipper closure
- Stock sizes: L-4XL, other sizes made to order





ANSI CLASS 2 MESH BACK LIME SURVEYOR VEST





Same as 16342 in lime with 1-3/8" high gloss white reflective tape on front and back.

ANSI CLASS 2 SOLID ORANGE SURVEYOR VEST

Same as 16342 with 3.65 oz breathable, extra durable 100% knit polyester high visibility orange material.

ANSI CLASS 2 MESH BACK LIME SURVEYOR VEST

- 4" orange/silver/orange reflective tape on front and back
 3.65 oz breathable, extra durable 100% knit polyester high visibility material on front with mesh back for added comfort
 Pouch pockets
 - Zipper closure Stock sizes: L-4XL, other sizes made to order







ANSI CLASS 2 MESH BACK ORANGE SURVEYOR VEST

Same as 16369 in orange with 4" lime/silver/lime reflective tape on front and back.





TO ORDER, CALL TOLL FREE: (800) 523-0888

Vests Fire Retardant Safety

All Mutual Reflective Vests Comply with MUTCD Section 6R-3, VI-60 2010 For High Visibility Clothing

Non Durable vs Durable Flame Resistant-

What's the Difference?

Non Durable Flame Resistant is flame resistant until washed. Durable Flame Resistant is flame resistant that stays flame resistant after it's washed.

TEE SHIRT

Durable Flame Resistant

- 7.75 oz. Modacrylic, Cotton, Poly blend jersey knit
 ASTM 1506 compliant
- ARC 10
- Made in USA

ANSI CLASS 2 TEE SHIRT

Durable Flame Resistant

- 7.75 oz. Modacrylic, Cotton, Poly blend jersey knit
 2" FR silver stripes
- ASTM 1506 compliant
- ARC 10
- Made in USA

ANSI CLASS 3 TEE SHIRT

Durable Flame Resistant

- 7.75 oz. Modacrylic, Cotton, Poly blend jersey knit
- 2" FR silver stripes
- ASTM 1506 compliant
- ARC 10
- Made in USA



Protection Products

ANY VEST CAN BE CUSTOM MADE ALL VESTS CAN BE CUSTOM PRINTED



ANSI CLASS 2 SOLID VEST

- Non Durable Flame Resistant

 100% Polyester Meets NFPA 701

 Flame Resistant Until Washed

 Zipper is Non Metallic (Non Conductive)
- FR Reflective Silver Tape
- Available in Lime and Orange



ANSI CLASS 2 MESH VEST

Non Durable Flame Resistant

- 100% Polyester Meets NFPA 701
- Flame Resistant Until Washed
- Zipper is Non Metallic (Non Conductive)
 FR Reflective Silver Tape
 Available in Lime and Orange



ANSI CLASS 2 SOLID VEST


Durable Flame Resistant


- 100% Modacrylic Meets ASTM 1506 * ARC 5.5
- Flame Resistant for Life of Garment (Washable)
- Zipper is Non Metallic (Non Conductive)
- FR Reflective Silver Tape
- Available in Lime and Orange



Durable Flame Resistant

- 100% Modacrylic Meets ASTM 1506
- * ARC 5.5
- Flame Resistant for Life of Garment (Washable)
- FR Reflective Silver Tape
- Available in Lime and Orange





RESISTANT

Vests Specialty Vests Protection Products **Transit Authority Contractor Vest** Our highly visible vinyl coated nylon includes a 500 CD reflective silver binding all the way around and 2" LSL 500 CD reflective vertical stripes with a clear plastic ID pocket as well. **Incident Command Vests** Mutual now offers a full line of incident command vests. Each vest can be configured in custom colors, reflective stripes, pockets, clear plastic pouches, and custom printing. Please call for more information and for a price quote.

ANY VEST CAN BE CUSTOM MADE ALL VESTS CAN BE CUSTOM PRINTED







Super Deluxe Surveyor Vest

This cool mesh vest is loaded with features including an abundance of pocket room, snap front closure, reinforced with heavy woven poly webbing and extra visibility with both horizontal and vertical striping on front and back of vest. Available in Lime with 1-1/2" Orange/Silver/ Orange reflective and Blaze Orange with 1-1/2" Lime/ Silver/Lime reflective. Sizes: Large - 5X-Large





POCKETS

Surveyor Vests Lime Hi-Vis Survest

Orange Hi-Vis Survest

Lime Hi-Vis Mesh Back Survest

This cloth polyester blend surveyor vest is loaded with features including multiple pockets and a front zipper closure. With 2 vertical stripes and an added horizontal stripe around the bottom for 360° visibility. Available in Blaze Orange or Lime with several reflective stripe options.

- Solid Orange w/ 1-1/2" Lime/Silver/Lime-16309-138
 Solid Lime w/ 1-1/2" Orange/Silver/Orange-16321-38
 Lime Mesh Back w/ 1-1/2" Orange/Silver/

Sizes: Large - 5X-Large



Disposable Vest

10 Mil PVC in Blaze Orange. Great where an inexpensive non-reflective limited use vest is required.













Reflective Elastic Personal Protection Products

Be visible at night! Mutual's reflective striped neon lime/yellow belts and bands are a safety must for traffic police, firemen, EMT's, crossing guards, joggers, cyclists, security personnel, etc. Size adjusts to fit all.

Armband: $1.5'' \times 15''$ with velcro closure Chinstrap: $3/4'' \times 18''$ adjustable. Hooks

Chinstrap: 3/4" x 18" adjustable. Hooks fit hard hats, bike helmets, etc.
Wristband:1-1/2" x 10" with velcro closure
Waist belt: 2" x 39" with adjustable buckle (larger size available)
Harness/suspender:1.5" x 50" adjustable.

Easy side release buckle





Traffic Cones


18" Orange 28" Orange 36" Orange 16 18" Lime 17717 28" Lime

Mutual's new traffic cones are one of the most durable on the market today. They feature a softer base, and very competitive pricing. Available in 18" #3, 28" #7, 28" #10, and 36" #10 sizes. Available with or without reflector.



Cone Collars This 2-piece non-adhesive set includes one 4" and one 6" white high-gloss, conical reflective

sheeting with 450 (cd/lx/sm). Also available for slim-line cone styles.



Retractable Cone Bar

Used in combination with Mutual's traffic cones, these cone bars form an instant barrier. Highly portable and versatile, Mutual's cone bars expand and retract from 3ft to 6ft as needed.



Traffic Delineators 5 Top4 12# Base

Highly visible and UV resistant to fading, offering high resistance to impact over a wide temperature range. Each weighted PVC base is made entirely of 100% recyclable PVC.



Collapsible Traffic Cones

Part# 17714
Perfect for emergency responders, Fire/
EMS or simply as an emergency kit for motorists. Meets MUTCD Standards

Constructed of orange waterproof nylon
Internal light has 2 settings: steady burn and flashing • Cone light endures 100,000 flashes or 36 hours of steady burn
Usable temperature is -40F to 130F.
Available in 18" and 28" sizes.





LED Light Batons 17755 Large Small

Mutual's Traffic Control Batons are perfect for Police and Sheriff's Department Officers, valet parking attendants, school cross walk guards, road construction crews, or anyone who requires a highly visible light for traffic safety. The batons are economical to operate, and are powered by bright LEDs (light emitting diodes). Features include: • Magnetic base easily attaches to vehicles • Made of durable materials with slip resistant handle.

Large Baton: Noticeable 19-1/2" total size • Orange Lens • Static or flashing with just a touch of a button • Runs on 2 D batteries (not included)

Small Baton: Compact 12" size is easy to carry • Clear Lens • Multiple functions with a touch of a button including Flashing Red, Flashing Blue, Flashing Blue/Red Combo • Runs on 4 AA batteries (not included

Traffic Safety Products



Airport Flag wo/Staff Airport Flag w/Staff

A heavy nylon 36" x 36" flag made of alternating 12" x 12" orange and white squares. Heavy-duty stitching and reinforced pocket make for easy mounting. Required by FAA and OSHA for all construction equipment and contractor vehicles in airports.

Breeze Sensitive Windsock and Kit

Part# 14950

Mutual Industries windsocks are made of urethane-coated nylon and react to the slightest wind movement. Complete kits include the windsock, ties, round aluminum inlet frame, 30" metal pole, and brackets to mount the pole onto a flat metal surface. Inlet Diameter: 18", Outlet Diameter: 13-1/4", Length: 96"



Stop/Slow Paddle Part# 14983 18" diameter traffic control paddles are available lettered with "STOP" on one side and "SLOW" on the other side. Large 6" letters in the official traffic sign colors with shapes make Mutual's paddles easily identifiable by motorists. Made of lightweight non-corrosive and weatherproof material with no sharp edges, Mutual's paddles are safe and long lasting. They are available with 10", 5', or 6' handles.



ABS Stop/Slow Paddle w/Staff

Part# 14655
Mutual's durable ABS Stop/Slow paddles have an 81" high staff for easy handling and are highly visible to motorists on the road. These paddles come in two sizes (18" or 26"), and three different reflective grades (non-reflective, engineer grade reflective, or high intensity reflective). Each 18" paddle has 6" lettering, while the 26" paddle has 8" lettering. All paddles have a two piece, 2" x 81" tall white plastic handle. plastic handle.



Road Sign Covers

No more trash bags and duct tape needed with Mutual Industries new sign cover. Made from our durable WF200 woven polypropylene material. Top edges are sewn and it attaches to any in seconds with hook and loop strap system. Available in the following sizes:


50" X 50" Standard 48" X 48" Sign

38" X 38" 36" X 36" Sign 62" X 38" Trailblazer Sign 36" X 60" 64" X 38" Extended Trailblazer 36" X 62"

Double-Sided Load Banners

Part# 14990-141 Mutual's load banners measure 18" x 7' and have heavy-duty grommets, as well as rope ties sewn in. They are made of a super-tough, 12 oz yellow vinyl-coated nylon material and have bold black letters which say "Wide Load" on one side and "Oversized Load" on the other.





No-Foul Highway Safety Flags

Mutual's vinyl coated nylon safety flag with a no-foul batten sewn in. Sizes available: 18" x 18" with 27" staff. 10 per bundle.



Cloth Signal Flags

Mutual's red or green cloth signal flags are great for rail yards and construction equipment. Sizes available: 18" x 18"x 24", and 24" x 24" x 36". 10 per bundle.



Tear Off Danger Flags Part# 14667Mutual's convenient disposable danger flags are heavy, 4-mil, polyethylene flags are 12" x 12" (1500 per roll) or 16" x 16" plain (1200 per roll), and 12" x 12" lettered with the word "DANGER" (1500 per roll). They easily tear off at the perforations and are suited for use in lumber yards.



Heavy-Duty

Tailgate Flags Part# 14986
These durable, 3-ply, fluorescent red/orange, vinyl coated nylon tailgate flags are hemmed and come with a wire stay with a loop in the center for convenient application. Available in 18"x18". Sold in case quantity of 100 pieces.



Available in standard, vinyl-coated nylon or open mesh design.



Heavy-Duty Open Mesh

Tailgate Flags Part# 14969
These flags are ideal for use on moving vehicles. Their open mesh design allows air flow and will not fray. They are fluorescent, red/orange, and are hemmed and grommeted along the top. They come with or without a dowel spreader and are available in 12" x 12", or 18" x 18". 10 per

Traffic Safety Products Reflective Hwy Safety Flags Part# 1496 Heavy-duty vinyl coated nylon safety flag with a yellow reflective stripe for extra nighttime visibility. Available in 18" x 18" with 27" staff and 24" x 24" with 36" staff. **Heavy-Duty Open Mesh** Safety Flags Part# 14975 Black Trim Part# 14968 Mutual's heavy-duty vinyl coated open weave nylon mesh safety flag is well suited for all construction and traffic applications. This flag is ideal for use on moving vehicles. Its open mesh design allows air flow and will not fray. Mutual's heavy-duty open mesh flag with a black binding offers excellent contrast Black Trim for better visibility as well as additional fraying protection on the already non-fraying material. 10 per bundle. **Red Highway Safety Flags** Lime Hwy Safety Flags As required by certain D.O.T.'s, Mutual's standard highway safety flag in a solid red.




Standard Highway Safety Flags


Mutual manufactures an orange heavy-duty vinyl coated nylon safety flag that is ideal for roadside construction signs and for directing traffic.

Standard and Open Mesh flags are available in:

- 12" x 12" with 24" staff 24" x 24" with 30" staff
- 24" x 24" with 36" staff • 18" x 18" with 24" staff
- 18" x 18" with 27" staff



Flags sold 10 per bundle.



Domestic EPDM Tarp Strap Po

The domestic is the finest tie-down available. Made in the USA, these tarp straps are extra thick and strong to meet the requirement of even the most demanding tie-down user. These straps feature rounded tear drop ends with 2-1/2 "S" hooks pre-inserted. Available in 10", 15", 21", 31" and 41" lengths. 50 per box.



Emergency Triangle Part# 50095 Mutual's Emergency Triangle Kits are manufactured with an outer border of red high-intensity retro-reflective plastic and an orange fluorescent plastic inner triangle. Supplied in sets of 3 with compact case for storage. Meets or exceeds Federal Specification FMVSS-125.



Universal Trucker's Spill Kit

Reduce the cost and liability of accidental spills. Contain and absorb water and oil-based fluid spills as well as non-aggressive chemical spills. (Not designed for acids or caustics.) Helps you comply with local, state and federal D.O.T. spill regulations. Our kit easily fits in your truck cab or storage cubby. Each kit has an 8 gallon absorption capacity and contains (3) universal socks, (20) universal pads, and (2) poly bags.



tough fiber-reinforced rubber compound that is well suited for tractor trailers and other heavy equipment. Available in orange or black, with or without securing chain.



Cyalume® Lightsticks Part# 17759 6" Lightstick Mutual Cyalume® lightsticks are

now offered in both 6" and 15" lengths and have varying intensities and endurances so you can find a lightstick for every emergency situation. Each features a hook and loop for easy hanging from a nail, wire, or even a belt loop.



15" Lightstick & 15" Self Activating

6" lightsticks are available in: 12 hr, 8 hr, 30 min (high-intensity), 5 min (ultra-high intensity), and 15" lightsticks are available in: 12 hr, 12 hr impact (self activating), 8 hr, 8 hr impact (self activating), 5 min ultra-high intensity, and infrared.

Lightsticks are sold 10 per box, 500 per case.



Hard Hats





Full Brim Hard Hat with Ratchet Suspension

Full brim provides protection from UV rays on ears and back of neck. Comfortable adjustable ratchet suspension provides a secure fit. Available in red, green, yellow, blue, white, and orange.



4-Point Ratchet Suspension Hard Hat

Part# 50200-10 - White Part# 50200-25 - Blue Part# 50200-39 - Green Part# 50200-41 - Yellow Part# 50200-45 - Orange Part# 50200-79 - Red

4-Point Pin Lock Suspension Hard Hat

Part# 50100-10 - White Part# 50100-25 - Blue Part# 50100-39 - Green Part# 50100-41 - Yellow Part# 50100-45 - Orange Part# 50100-79 - Red



Hard Hats Meets ANSI Z89.1-2009, Type 1 Class E.G.C <u>Pin Lock & Ratchet</u>

With a tough polyethylene shell, Mutual's hard hats are strong, lightweight, and durable. Each hard hat features a four-point adjustable nylon suspension for shock absorbing protection. Reinforced ribs on top provide additional impact protection. Each hard hat has slotted sides to accommodate accessories such as face shields or ear muffs, and is available in white, blue, green, yellow, orange, and red.



6-Point Ratchet Suspension Hard Hat

Part# 50215-79 - Red
Part# 50215-39 - Green
Part# 50215-41 - Yellow
Part# 50215-10 - White
Part# 50215-45 - Orange
Part# 50215-25 - Blue



6-Point Ratchet
Suspension Hard Hat, High Visibility

Part# 50215-139 - Lime Part# 50215-145 - Orange

Hard Hat Accessories

Plastic Face Shield Part# 50511 Bracket for Hard Hat Part# 50512

Bracket for Hard Hat and 8" x 15-1/2" aluminum bound PC clear visor. EN166 and ANSI Z87.1 compliance.





Part# 65600
Knitted over the top 2-ply heavy band liner fits over the brim of the hard hat to prevent wind tunneling.

Face Shield w/Visor Part# 50510

Mutual's ABS brow guard protects against forehead injury, and comes complete with 8" x 15-1/2 aluminum bound PC clear visor. EN166 and ANSI Z87.1 compliance.





OTT9

Knitted over the top fullface style 2-ply heavy band liner fits over the brim of the hard hat to prevent wind tunneling.



ANSI HARD HAT COVER

Part# 50110

Mutual's bright lime hard hat cover features a high visibility lime material that fits over a standard hard hat. It has sewn elastic for secure easy placement. This ANSI hard hat cover is a perfect compliment to ANSI vest or pant ensembles.



Reflective Hard Hat Cover

Our blaze orange mesh vest material elasticized around the edges for a secure fit to most standard hard hat styles.
1-1/2" Lime/Silver/Lime reflective stripes added for extra visibility.



Nape Protector

Part #65300 w/o Reflective

65400 w/Reflective

Enhance protection for outdoor workers by shielding their neck, face and ears from the sun. These lightweight 100% cotton twill Nape Protectors block up to 99% of the sun's harmful UVA and UVB rays. They attach easily and securely to hard hats with Velcro tabs. Available in 13-1/2" x 13" high visibility orange with or without 1-1/2" Lime/ Silver/Lime reflective stripes.



Economy Nape Protector Part# 65401

100% white cotton twill. Available in 13-1/2" x 13", No reflective stripes.



Hard Hat Mounted Ear Muffs

Part# 50501

Deep ear cups with large foam filled cushions have durable steel head bands and easily snap on and off hard hats. SNR: 23db and NRR: 22db rated for hearing protection. EN352-1, ANSI S3.19

Winter Liners

Non Durable vs Durable Flame Resistant-

What's the Difference?

Non Durable Flame Resistant is flame resistant UNTIL washed.

Durable Flame Resistant is flame resistant that STAYS flame resistant after it's washed.







REGULAR NAPE LINERS



Looper

8oz. 100% Canton Flannel. Flame retardant shell with a soft napped interior. Three loop straps with adjustable Velcro closure.



Q-Vel

Nylon tricot shell (treated with flame retardant), quilted with foam. Soft fleece lining. Three loop straps with adjustable Velcro closure.



RedVel

Twill shell with red fleece lining. Three loop straps with adjustable Velcro closure.



30 Bomber Part# 68900

Twill shell with sherpa lining.

LONG NAPE



100% cotton twill shell (treated with flame retardant) with soft fleece lining. Three loop straps with adjustable Velcro closure.



Super II Part# 60000

100% cotton twill shell (treated with flame retardant) with sherpa lining. Three loop straps with adjustable Velcro closure.



SuperQ Part# 60300

Same styling as the #59800 Super but made with nylon tricot shell (treated with flame retardant), quilted with foam and a soft fleece lining. Three loop straps with adjustable Velcro closure.



Super 3M Part# 63900

100% cotton twill shell (treated with flame retardant) with soft fleece lining and 3M Thinsulate insulation. Three loop straps with adjustable Velcro closure.





Part# 72100 100% cotton twill shell, treated with flame retardant. Heavy sherpa lining. Three loop straps with adjustable Velcro closure.



28 Cape

Twill 4 panel construction with soft fleece lining. Three loop straps with adjustable Velcro closure.



#28 3M Thinsulate

100% cotton twill shell (treated with flame retardant). Heavy sherpa lining. Three loop straps with Velcro closure at the neck.







FS-1 Durable **Flame Retardant**

Durable flame resistant outer shell with 100% cotton flannel lining.
Three loop straps with Velcro closure at the neck.



FS-2 Durable Flame Retardant

Durable flame resistant outer shell with 100% cotton flannel lining.
Three loop straps with Velcro closure at the neck.



FS-3 Durable Flame Retardant

Durable flame resistant outer shell with 100% cotton flannel lining. Three loop straps with Velcro closure.



40 Linesman

"Linesman" style with soft FR fleece or flannel lining. Three loop straps, mouth piece and chin protector. Long nape.



Twill cap with zip-off twill nape protector. Three loop straps with adjustable Velcro closure.



44 Tundra

Twill cap (flame retardant) and fleece lining. The zip-off heavy knitted dickie has a two button closure at the throat. Two pieces attach with a plastic molded zipper. Three loop straps and slots to fit a 4-point suspension. Extra long nape.



Kromer Winter Liners High quality Winter Liners feature velcro fastenersdielectric with no metal, and three suspension tabs. One universal size. Made in U.S.A. WL3-45 WL4-45 WL3-210 WL4-210 WL3-250 WL4-250

WL4-250V

WL4338



Colorful new patterns join our market-tested favorites. ALL-COTTON balloon top, rugged double stitch construction and absorbent, cotton sweat band. Comfortable. Durable. Washable. Meticulously constructed and individually inspected in America, as are all of our caps, by skilled union craftsmen. Individually sized 6-7/8 through 7-7/8. Made in U.S.A.









Kromer Caps













































Beanies & Welding Safety Accessories

SK357

Flame Retardant* Made to fit snugly to protect from dust or shop dirt, these caps are suited for a variety of indoor and outdoor work situations. They are not only Flame Retardant* treated but retain the Kromer tradition of comfort as well. Available in sizes M, L, and XL. Made in U.S.A. *Non-durable













Made of non-durable flame resistant navy twill.



SK250





SK338

- Welding Visor Part# 50068
 Welding goggle with polycarbonate lens Vinyl frame features a positive-action, flip-front IR shade 5 filter lens
 - Hooded vents allow air to circulate
 - Meets the requirements of ANSI Z87.1

Welders Vest Part# 16316 Durable Flame Resistant

- 100% Durable Cotton Meets ASTM 1506
 - Proban or Banox FR3 fabric
 Flame Resistant for Life of Garment (Washable)
 - Hook and Loop Closure FR Reflective





Commercial/Industrial Burn Kit

Take care of burns in any emergency situation with Mutual Industries Burn Kit. Each kit contains "Burnfree" gel and sterile dressings that immediately begins to soothe and cool the skin, helping to prevent burns from progressing. In addition, Mutual's gel helps minor burns, cuts, scrapes, and abrasions from getting infected. Unlike other first aid burn gels, Mutual's contains no lidocaine or benzocaine which can cause an allergic reaction.

Kromer Krushers



These premium Made in U.S.A. caps with soft floppy visors are fully washable and can be crushed or rolled up and stuffed in your pocket. Individually sized 6-7/8 through 7-7/8.



















One size fits all. This washable cotton pleated top cap is available with adjustable strap for sizes 6-7/8 through 7-5/8. Made in U.S.A.



Headwear



Style C

Kromer's new Unisize is a one size cap that is deep crowned to cover a welder's ears and neck, and has that same great Kromer quality.

- Strongest & most durable on the market
- Elastic band for comfort
- One size fits most

























^{*}The Kromer Unisize is available in all Kromer patterns (only a small sample shown here). Reversible caps are also available.





Boots



5 Buckle Arctic Boot

- 14" High Over-the-Shoe
 5-Buckle Arctic Boots
 Self-Draining Gussets
 Comes in Black with a

 - Maroon Sole • Sizes 6-16



17" Slush Boot

- Extra Wide, 17" High Over-the-Shoe Slush Boots
- Available in High-Visibility Yellow or in all Black
- Comfortable Fit Over Work Shoes
- Sizes 6-18



16" PVC White Sock Boot
White Boot Plain Toe Part# 14504-1
White Boot "STEEL TOE Part# 14504-2
Mutual's White PVC boots feature the same quality
construction and upper as Mutual's Black PVC over
the sock boots. Mutual's White Boots are designed for red meat processing, poultry processing, packing plants, commercial fishing and shrimping, and other food processing applications. Both are available in plain and steel reinforced toe in men's full sizes 6-13.

16" PVC Black Sock Boot Black Boot Plain Toe Part# 14502-1
Black Boot "STEEL TOE" Part# 14502-2
Mutual's PVC Injection molded boots are 100% waterproof

and are ergonomically designed for maximum comfort. These boots feature a seamless molded construction that uses two different compounds to provide an extra soft upper, with a long wearing, slip resistant sole. Mutual's PVC Boots have a mildew resistant liner and are reinforced at critical points. Choose Mutual's Black boot for all of your construction, concrete, landscaping and agricultural needs. Available in both plain toe and steel reinforced toe in men's full sizes 6-13.

Eyewear Stood of the Lood of t





Mantaray Safety Glasses Part# 49900 Clear; 49901 Grey; 49902 Amber; 49903 Mirror Sleek, sporty style with one piece lens design and adjustable fit. Meets ANSI Z87.1 and AS/NZS 1337



Dolphins Part# 50082 Clear; **50083** Amber; **50084** Grey; **50085** Rainbow Mirror Black matte finished frame with enlarged optical lenses, lightweight adjustable arms. Meets the requirements of ANSI Z87.1 and AS/NZS 1337



Snappers Part# 50056 Clear; **50057** Grey; **50058** Amber; **50059** Rainbow Mirror

- Ultra-cool and ultra-lightweight polycarbonate frames ensure worker acceptance • Wraparound design fits snugly for total optical
- Features a 9.75 base spherical polycarbonate lens and 99% UV protection
- Meets the requirements of ANSI Z87.1 and AS/NZS 1337



Wrap-Around Glasses Part# 50030

Clear; 50031 Grey; 50027 Amber The Wrap-Around style safety glasses offer sharp clarity with vented reinforced side shields, and full brow guard at an economical price. The nose-bridge design is universal, thus a standard fit for all. Meets ANSI Z87.1-1989 standards for OSHA compliance.





Perforated Safety Goggles Part# 50041 Chem/Splash Safety Goggles Part# 50040 Mutual's Safety Goggles feature tough polycarbonate lenses that provide superior protection against nuisance dust, flying particles, and liquid splash. Mutual's Safety Goggles are available in two styles, perforated for impact applications, and chem/splash for liquid/ impact applications.

Safety Glasses



Gators

6 Clear; 50 **087** Grey; Amber; Rainbow Mirror

- Complete adjustability for a perfect fit
- 12-position ratchet mechanism and 5-position temple arm length adjustment
- Frame-less design makes this eyewear choice exceptionally lightweight
- Contemporary, polycarbonate lens
 Optically correct lens is anti-scratch coated and offers 99% UV protection
 Meets the requirements of ANSI Z87.1

| CLEAR | Maximum visual acuity and maximum color recognition | |
|-------------------|---|--|
| AMBER | Provides increased image sharpness, visual acuity and contrast | |
| Gray/ Mirrored | Reduces brightness and glare while allowing excellent color recognition | |



Shark Glasses

Grey; Clear; Rainbow Mirror; Amber Mutual Shark protective glasses have a single panoramic lens design and offer superior frontal and peripheral protection. The Shark offers ultimate hazard protection with a full range of view and 7-base curve design. Meets or exceeds all ANSI safety standards including Z87.1-1989.



Marlin Glasses

Blk Frame Clear; 50035 Blk Frame Grey; Blk Frame Mirror; USA Frame Clear; Blk Frame Amber; **USA** Frame Grey

Mutual Marlin protective glasses pack full protection in a lightweight product, an amazing 1 oz. design. It has an integral lens construction with an adjustable side arm. The plastic wide angle brow plate provides overhead protection. Meets all ANSI standards.



Mutual's Point-of-Purchase Display

Part# 50025 Display w/ Glasses
Part# 50026 Display Only
Increase your profits with a Carousel-style

Eyewear Display from Mutual. This rotating display holds 30 pairs of glasses and features a view mirror. Its accessibility can increase counter sales and profits. The compact, light-weight display measures 26" high by 17" in diameter. Receive six extra pairs of glasses with your display.

*Carousel Display sold separately.

Lens Cleaning Towelette Dispenser

Enhance the performance of your eye glasses, safety glasses, and goggles by keeping them clean and clear with Mutual's Lens Cleaning Towelette

Dispenser. The pre-moistened lens cleaning towelette's anti-fog, anti-static formula can be safely applied to plastic, glass, polycarbonate lenses, face shields and goggles, and contains no silicone. The dispenser comes completely assembled and ready for use, featuring a convenient pull out bottom and built in tab for hanging. Each dispenser contains 100 individually foil-wrapped 5" x 8" towelettes.









Retains body heat and increases circulation • Provides compression and support for confident play • Features universal sizing: fits either left or right wrist/forearm

Adjustable Neoprene Thigh Support 10-75600

Retains body heat and increases circulation • Provides compression and support for confident play • Features universal sizing: fits either left or right thigh • Adjustable hook & loop fasteners • Individually packaged in clamshell • Color: Black • Size: Adjustable, one size fits all

Adjustable Neoprene Ankle

Support 10-75100
Retains body heat and increases circulation • Provides compression and support for confident play • Features universal sizing: fits either left or right ankle • Adjustable hook & loop fasteners Individually packaged in clamshell • Color: Black • Size: Adjustable, one size fits all

Adjustable Neoprene Back Support 10-75200

Retains body heat and increases circulation • Provides compression and support for confident play. Adjustable hook & loop fasteners for a custom fit • Individually packaged in clamshell • Color: Black • Size: Adjustable, one size fits all

Adjustable Neoprene Open Patella 10-75420

Retains body heat and increases circulation • Provides compression and support for confident play • Features universal sizing: fits either left or right knee • Reinforced padded patella located at knee cap adds support without applying direct pressure on patella

Adjustable Neoprene Knee Stabilizer

w/Straps 10-75520
Retains body heat and increases circulation Provides compression and support for confident play • Features universal sizing: fits either left or right knee • Customer fitting dart design closure system • Metal stays provide lateral support • Reinforced padded patella • Extra dual straps with hook & loop fasteners for additional compression

Gloves



Sure Grip Gloves

Part #50072-3 Large Part #50072-4 Extra Large

Mutual's new Sure Grip Gloves are unique gloves that are economical and highly effective in many work situations. Each glove forms to the hand as its worn, enabling workers to retain excellent dexterity and touch. Sure Grip Gloves are 10-gauge string knit with latex-coated palm and fingers, which is liquid resistant as well. Sold by the











Heavy Duty Leather Palm Work Gloves w/2-1/2" Rubberized Safety Cuff Part# 50071

w/2-1/2" Rubberized Safety Cuff Part# 50071
Mutual's work gloves feature a gun pattern, rubberized safety cuff, wing thumb, split leather palm and finger tips, elastic strap, knuckle strap, and a cotton padded lining. Sold by the dozen.

Blue High-Risk Latex Gloves (14Mil)

Part# 29000

Mutual's high risk glove offers maximum protection in hazardous situations. These gloves provide extra length and extra protection-14 mil fingers, 12 mil palm, 10 mil cuff and 12" length. Used by EMT's, ER, police, labs and in industrial applications where a better quality latex glove is required. Lightly powdered. Sizes Sm, Med, Lg, and XL. 50 per box/10 boxes per case.

27000 Vinyl Gloves

Part# 27000

These gloves give you a better fit, increased sensitivity and reduces risk of pinholes. USP dusting powder prevents irritation and allows for an easier fit. Sizes: Sm, Med and Lg. 100 per box, 10 boxes per case.

Latex Utility Gloves

Part# 28000

Industrial grade all purpose 5 mil latex gloves offer superior strength, fit and comfort. Lightly powdered. Also available in powder free. Sizes: Sm, Med, Lg and XL. 100 per box/10 boxes per case.

First Aid Kits



Weatherproof First Aid Kits

1 - 10 person kit 2 - 25 person kit

Part# 50003 - 50 person kit
Be ready for situations that require quick medical treatment with a first aid kit from Mutual Industries. Designed to meet your specific requirements, Mutual Industries First Aid Kits come in 10, 25, and 50 person sizes. Each easy-to-use kit is packaged in a practical weatherproof (gasketed) polypropylene case for added durability and assists in complying with OSHA requirements.







25 Person Metal First Aid Kit

Mutual now offers it's 25 person first aid kit in a 20 gauge steel case. It features a cover that opens to 90° to form a working shelf when the kit is in use. Custom printing is also available.

EACH KIT CONTAINS:

- Adhesive Strips
- Large Wound Pad (25 & 50 only)
- Éye Pads
- Triangular BandagesFirst Aid/Burn Cream (25 & 50 only)
- Eye Flush (50 only)
- Elastic Bandages
- Scissors

- Forceps
- First Aid Instructions
- Gauze PadsGauze Bandages
- Adhesive Tape
- Antiseptic Towelettes
- Aspirin
- Cold Pack
- Latex Exam Gloves

EACH KIT CONTAINS:

Personal Protection Apparel:

- Control GownEye & FaceShield/MaskLatex Exam Gloves

Clean-Up Provisions

- Absorbent PowderScoop & Spatula
- Unmarked BagDisinfectant Cloth
- Biohazard Bag
 - Antiseptic Towelettes



Bloodborne Pathogens Protection Kit

Protect yourself and your employees with a Bloodborne Pathogens Kit from Mutual Industries. Each kit provides the necessary clean up and protection products to meet the bloodborne pathogen standards, packaged in a weatherproof case designed specifically for the industrial market.

Eye Protection and Dust Masks

Mutual's gravity eyewash station features a 16 gallon high density FDA green polyethylene tank with heavy wall construction and reinforced ribs. It comes with a zinc plated steel bracket for easy wall mounting on a flat surface. Integrated full-flow nozzles are activated by pulling down on the yellow eyewash tray for ease of use. Fill the eye wash station with your own solution, or use distilled water and Mutual's preservative (below) for reliable and effective eye protection.

Preservative Part# 500


For use in the eyewash station above, Mutual's preservative combines with distilled water to make a safe and effective eyewash solution. The preservative protects against the growth of bacteria, fungus, algae, and acanthamoeba. The preservative has a service life of 6 months and is clearly date-coded for easy inspection. Each 8 once preservative bottle makes as many as 20 gallons of eyewash solution.





32 oz. Eye Wash Station 50010 Station 50011 Refill

Take the first step in protecting your employees from eye injury with Mutual's 32 oz Sterile Isotonic Buffered Eye Wash Station. This convenient station can be mounted on a wall and contains a large (32oz) bottle of eye solution that will work to neutralize the effects of acids & alkalis, while flushing away other chemicals, foreign particles, or irritants from the eye. Refills are also available.



Mutual's double eye wash station features 2-16 oz. bottles for safety and convenience.





N95 Dust/Mist Respirator

Our single use N95 Respirator has a 95% filter efficiency level. It is effective against particulate aerosols free of oil; time use restrictions may apply. These lightweight, contour fit respirators are maintenance free, have 2 elastic straps for a comfortable and efficient fit, and allow easy breathing and speaking while in use. Packaged 20 per box (12 boxes per case).



Nuisance Dust Mask

Mutual's nuisance mask provides relief against non-toxic dust irritants and other nuisance level particles in the workplace. These economical, high-quality masks are packaged 50 per box (20 boxes per case).



Each kit contains:

- 4" x 4" Dressings
- "Burnfree" Gel
- Unit Dose Gel Packets
- Roller Gauze



Commercial/Industrial Burn Kit

Take care of burns in any emergency situation with Mutual Industries Burn Kit. Each kit contains "Burnfree" gel and sterile dressings that immediately begins to soothe and cool the skin, helping to prevent burns from progressing. In addition, Mutual's gel helps minor burns, cuts, scrapes, and abrasions from getting infected. Unlike other first aid burn gels, Mutual's contains no lidocaine or benzocaine which can cause an allergic reaction.

Hearing Protection, Coveralls, and Main

Painter's **Dust Hood**

100% cotton twill hood w/ large clear plastic insert for optimal visual benefits. Approximately 12" finished length



Pura-Fit Ear Plugs-Uncorded

- Decibel rating: NRR 31
- Tapered fit
- Non irritating
- Brightly colored
- Cord is secure & cleanly attached
- Hygienically packaged in individual pouches



Pura-Fit Ear Plugs-Corded



Sparkplug Plugs-Uncorded

- Decibel rating: NRR 31
 Extra soft, low pressure foam
 Tapered end for easy insertion
- Shapes to fit even the smallest ear canals
- Available in fun colors



Sparkplug Plugs-Corded

ALL Ear Plugs Packaged as Follows: CORDED PLUGS: **UNCORDED PLUGS:**

- 1 pair per pouch
- 200 pair per dispenser box
 100 pair per dispenser box
 20 dispenser boxes per case
 20 dispenser boxes per case
- Total 2000 pairs per case
- 1 pair per pouch
- Total 2000 pairs per case

Disposable Coverall • Storm fly front with seal

- Full cut for comfort and fit
- Non-sparking zipper
 Meet or exceed ANSI/ISEA 101-1993
 - SEI certified, Size: M to 4XL 25 per case



Disposable Bunny Suit Part# 13905 • Storm fly front with seal

- Attached hood with elastic face
- Elastic wrist & oversized shoe
- Full cut for comfort and fit
- Non-sparking zipper
- Meet or exceed ANSI/ISEA 101-
- SEI certified, Size: M to 4XL 25 per case





Ear Muffs Part# 50024

Mutual's new comfortable, adjustable fit ear muffs are SNR: 25db and NRR: 22db rated for hearing protection.



Hard Hat Mounted Ear Muffs Part# 50501

Deep ear cups with large foam filled cushions have durable steel head bands and easily snap on and off hard hats.

SNR: 23db and NRR: 22db rated for hearing protection. EN352-1, ANSI S3.19

tenance Products



Industrial Floor Signs Part# 14663

Molded of durable polyethylene, Mutual's industrial floor signs are made to withstand considerable use. These signs are the double faced easel type and fold flat for easy storage. Permanently hot stamped with a bilingual message. Available with same message

CAUTION WET FLOOR (ENGLISH/SPANISH)



Power Wipes Part# 50093
Power Wipes are solvent-free, super absorbent polypropylene towels that effectively dissolve grease, grime, oil, lubricants, tar and more. They also contain aloe vera, vitamin E and other skin conditioners to protect your hands. Use these great wipes to clean-up tools, equipment, work areas, and more!

90 wipers per canister, 6 canisters per case.



Champs One All-Purpose Wipes

No job is too tough for the Champ! With a soft cloth-like feel, these low lint and solvent resistant towelettes are the perfect all purpose wipe. Self contained in a center-pull heavy corrugated cardboard dispenser box. 225 wipes within each 9-1/2" x 12" box. 4 boxes per case.



All Wipes Part# 44000 Mutual's "Pop Out" AllWipe is a high-quality 52lb. bonded cellulose wipe. Compare this wipe to your present wipe.

• Perfect for all your wiping needs


- Dispenses one at a time including grease, oil, chemicals, and ink

- More absorbent than "Airlay"
 Equal in quality to Scott Wypall™
 100 wipes per box., 9 boxes per case

Tools




Shovels Part# 50078Mutual's new shovels feature high quality 60" hardwood handles and high density steel spades for long lasting performance. Available in pointed or flat tip versions.



Pallet Jack Part# 50074
This high quality Pallet Jack is made of heavy gauge steel construction, with dropped forged fork arms that provide high strength and durability. Foot and hand controls provide easy operation. The pallet jack also features a speed lowering valve which can adjust the descent speed freely, as well as a two hundred degree steering area for added maneuverability. High quality wheels and long life lubricated bearings with dust proof caps provide trouble-free service.

| Pallet Jack Specifications | | | |
|----------------------------|---------|---------------------|--|
| Capacity | (lbs) | 5500 | |
| Total lift height | H2 (in) | 7-1/2" | |
| Lowered fork height | H1 (in) | 2-3/4" | |
| Height of handles | H3 (in) | 20-3/8" | |
| Fork Length | L (in) | 48" | |
| Width over the forks | W (in) | 27"/6-1/4" | |
| Fork wheel | B (in) | 3-5/8"/3" width F-B | |
| Truck weight | (lbs) | 195 | |



Mutual's hand truck easily converts in seconds from a conventional 2-wheeler into a platform truck. This handcart features large pneumatic tires and swivel casters with rubber wheels, and a heavy duty welded steel tubing frame for solid performance. Load capacity of 600 lbs.





Terms and Conditions

MINIMUM ORDER:

All products are combinable for pricing discounts. The dollar amount of your TOTAL order is used to determine individual product pricing. \$300.00 minimum initial order is required to open a net 30 day account. Minimum \$100.00 order for established accounts. All orders less than \$100.00 are subject to a service fee as follows: Orders between \$99.00 – \$50.00 are assessed a \$10.00 service fee. Orders \$49.00 or less are assessed a \$15.00 service fee.

CUSTOM PRODUCTS:

On special orders, Mutual reserves the right to ship and invoice $\pm 10\%$ of the ordered quantity. CUSTOM PRODUCTS ARE NOT RETURNABLE.

PAYMENT TERMS:

Invoice in full within thirty (30) days, subject to prior approval by Mutual of buyers credit. No CODs. VISA and MASTERCARD accepted. Amounts unpaid after thirty (30) days shall bear interest at the rate of 1% per month. Prices and specifications are subject to change by Mutual without notice to buyer. Mutual's prices do not include Federal, State, or local sales, use, excise, or similar taxes. Buyer shall provide Mutual with a tax exemption certificate acceptable to the taxing authorities. No deductions on invoices will be accepted without prior approval from a Mutual Industries Customer Support Representative. Discrepancies must be reported in a timely manner to one of our internal Customer Support Representatives at 800-523-0888 prior to remittance of invoice. Any deductions taken without prior approval will not be honored.

RETURN POLICY:

No returns shall be accepted by Mutual without a return authorization number. All products must be returned within ten (10) days of receipt of authorization number. Unauthorized returns will be refused. Authorization will not be given for items purchased over six (6) months previous. Buyer is responsible for all return freight and a 15% restocking charge. NO RETURNS shall be accepted by Mutual on custom manufactured products.

FACTORY FREIGHT POLICY:

A 5% freight allowance is given on orders of \$2500.00* or more. Alaska, Hawaii, and Canada, a 5% freight allowance will be credited on invoice. All shipments are F.O.B. shipping point. Title and risk of loss for all products shall pass to buyer on delivery by Mutual to a common carrier regardless of the freight terms stated or method of payment for transportation charges. On orders less than \$2500.00 and shipped by common carrier, freight will be collect unless verbally requested otherwise. UPS shipments will be prepaid and added to the invoice. Mutual reserves the right to choose a common carrier on a prepaid order.

WAREHOUSE FREIGHT POLICY:

This freight policy applies to standard warehouse stock items only. Non-stock items that must ship from factory are subject to freight charges regardless of total order amount. On orders of \$2500.00 or more, a 5% freight allowance will be credited on invoice (in the Continental US, Alaska, Hawaii, and Canada). All shipments are F.O.B. shipping point. Shipment will be freight collect unless verbally requested otherwise. UPS shipments will be prepaid and added to invoice.

LOST/DAMAGED SHIPMENTS:

Buyer must notify Mutual of any shortages within five (5) days from the date the products were delivered to buyer. ICC regulations state that buyer is responsible for the following: (1) Inspecting shipment for lost or damaged merchandise, (2) Signing freight bill offered by the carrier as "short", "damaged", or "subject to further inspection", (3) Obtaining signature of the carrier acknowledging lost or damaged merchandise, (4) Notifying Freight Company of the claim and requesting an inspector. Mutual Industries is unable to handle a claim for you, since all damage claims must be adjusted at the delivery point per ICC regulations.

Please Note: Mutual Industries is not responsible for typographical or printer errors.

TO ORDER, CALL TOLL FREE: (800) 523-0888

FAX ORDERS TO: (215) 927-3388

EMAIL ORDERS TO: safety@mutualindustries.com

ON THE WEB: www.mutualindustries.com



707 W. Grange St. Philadelphia, PA 19120

Tel: (215) 927-6000 Fax: (215) 927-3388 Call Toll Free (800) 523-0888



mutualindustries.com

